



JAY FLIGHT 2017





SLX











#LETSJAYCO

Where do you want to go? With Jayco, you're headed straight for family fun—regardless of the destination. From wooded campgrounds to sandy beaches, swimming hole docks to scenic byways, maximize the moment with unmatched quality and added comfort. So what are you waiting for? Make new memories—and share them with the world.

GENERATIONS OF FAMILY FUN



Jay Flight SLX: Page 4

The 2017 Jay Flight SLX lineup features numerous easy-to-tow models



Jay Flight: Page 6

The 2017 Jay Flight lineup boasts family-friendly floorplans ranging from 23 to 38 feet in length



Jay Flight Bungalow: Page 14

Each spacious 2017 Jay Flight Bungalow model includes several standard residential features

JAY FLIGHT

1968 TO TODAY: GENERATIONS OF FAMILY FUN

If it's not done well, it's not worth doing. That was Jayco founder Lloyd Bontrager's philosophy. He thought that his family deserved a better RV—and that yours does, too. One that's sturdy, carefully designed and built to last. Nearly 50 years later, his legacy lives on—in the Jay Flight.

Discover America's No. 1-selling travel trailer.




Here's our 2005 Jay Flight brochure cover—the year we first became America's best-selling travel trailer.





JAY FLIGHT SLX


























POPULAR OPTIONS





STANDARD FEATURES







MAIN INTERIOR KEY

- . Interior LED lighting
- 2. Decorative lighting above dinette and on slideout wall
- 3. 8-cubic-foot refrigerator

- 4. Shaw® residential carpet
- 5. DiamondFlor® vinyl flooring
- 6. Directional and closeable A/C ducts
- 7. Maple mission-style cabinet doors



JAY FLIGHT

ELITE PACKAGE

- Black tank flush
- Second fresh water tank (80-gallon capacity)
- Large entry grab handle*
- Upgrade faucet with pullout sprayer and sink covers*
- Porcelain foot flush toilet
- Stainless kitchen appliances*

- Maple mission-style cabinet doors
- AM/FM/CD/DVD player with MP3 hookup and Bluetooth®/HDMI®*
- Solar prep
- Dual USB/12V charging*
- Simmons® mattress*


*Pictured below


















JAY FLIGHT SLX | 145RB

Ext. Lgth: 16' 6" Ext. Ht: 111" Unloaded Wt (lbs.): 2,330 Sleeps: 2-3



JAY FLIGHT SLX | 175RD

Ext. Lgth: 20' 7" Ext. Ht: 113" Unloaded Wt (lbs.): 2,855 Sleeps: 3-4



JAY FLIGHT SLX | 242BHSW

Ext. Lgth: **29' 2"** Ext. Ht: **127"** Unloaded Wt (lbs.): **5,390** Sleeps: **7-8**



JAY FLIGHT SLX | 265RLSW

Ext. Lgth: **30' 11"** Ext. Ht: **133"** Unloaded Wt (lbs.): **5,925** Sleeps: **4-6**



JAY FLIGHT SLX | 287BHSW

Ext. Lgth: **33' 5"** Ext. Ht: **132"**Unloaded Wt (lbs.): **6,005** Sleeps: **8-10**



JAY FLIGHT SLX | 154BH

Ext. Lgth: 17' 10" Ext. Ht: 109" Unloaded Wt (lbs.): 2,520 Sleeps: 3-4



JAY FLIGHT SLX | 195RB

Ext. Lgth: 21' 8" Ext. Ht: 113" Unloaded Wt (lbs.): 2,905 Sleeps: 3



JAY FLIGHT SLX | 245RLSW

Ext. Lgth: **28' 2"** Ext. Ht: **132"**Unloaded Wt (lbs.): **5,220** Sleeps: **4-6**



JAY FLIGHT SLX | 267BHSW

Ext. Lgth: **30' 2"** Ext. Ht: **133"** Unloaded Wt (lbs.): **5,425** Sleeps: **8-10**



JAY FLIGHT SLX | 32BDSW

Ext. Lgth: **36' 2"** Ext. Ht: **136"** Unloaded Wt (lbs.): **7,195** Sleeps: **6-10**



JAY FLIGHT SLX | 174BH

Ext. Lgth: 21' 6" Ext. Ht: 113" Unloaded Wt (lbs.): 2,880 Sleeps: 5



JAY FLIGHT SLX | 212QBW

Ext. Lgth: **25' 6"** Ext. Ht: **127"** Unloaded Wt (lbs.): **4,185** Sleeps: **4**



JAY FLIGHT SLX | 264BHW

Ext. Lgth: 29' 3" Ext. Ht: 126" Unloaded Wt (lbs.): 4,615 Sleeps: 8-10



JAY FLIGHT SLX | 284BHSW

Ext. Lgth: **33' 5"** Ext. Ht: **132"** Unloaded Wt (lbs.): **6,035** Sleeps: **6-8**

JAY FLIGHT SLX SPECS

| MODELS | DIMENSIONS | | | | | WEIGHT (LBS.) | | | | TANKS (GALS.) | | |
|-----------|------------------------------|-------------------|----------------------------------|--------------------|----------------------------|---------------------|--------------------------------|----------------------------|--|------------------------------------|-------------------------------------|--|
| FLOORPLAN | EXTERIOR TRAVEL LENGTH | EXTERIOR WIDTH | EXTERIOR HEIGHT (WITH A/C) | INTERIOR HEIGHT | UNLOADED VEHICLE WEIGHT | DRY HITCH WEIGHT | GROSS VEHICLE WEIGHT RATING | CARGO CARRYING CAPACITY | FRESH WATER CAPACITY (INCLUDES WATER HEATER) | GREY WASTE WATER CAPACITY | BLACK WASTE WATER CAPACITY | |
| 145RB | 16' 6" | 85" | 111" | 73" | 2,330 | 225 | 2,995 | 665 | 16 | 15 | 9 | |
| 154BH | 17' 10" | 85" | 109" | 73" | 2,520 | 315 | 3,200 | 680 | 16 | 15 | 9 | |
| 174BH | 21' 6" | 85" | 113" | 73" | 2,880 | 320 | 3,500* | 620 | 26 | 15 | 9 | |
| 175RD | 20' 7" | 85" | 113" | 73" | 2,855 | 305 | 3,500* | 645 | 26 | 15 | 9 | |
| 195RB | 21' 8" | 85" | 113" | 73" | 2,905 | 235 | 3,500* | 595 | 26 | 15 | 9 | |
| 212QBW | 25' 6" | 96" | 127" | 81" | 4,185 | 460 | 6,000 | 1,815 | 48 | 39 | 39 | |
| 242BHWS | 29' 2" | 96" | 127" | 81" | 5,390 | 605 | 7,000 | 1,610 | 44 | 39 | 39 | |
| 245RLSW | 28' 2" | 96" | 132" | 81" | 5,220 | 545 | 7,000 | 1,780 | 44 | 39 | 39 | |
| 264BHW | 29' 3" | 96" | 126" | 81" | 4,615 | 485 | 6,500 | 1,885 | 48 | 39 | 39 | |
| 265RLSW | 30' 11" | 96" | 133" | 81" | 5,925 | 676 | 7,500 | 1,575 | 44 | 39 | 39 | |
| 267BHSW | 30' 2" | 96" | 133" | 81" | 5,425 | 635 | 7,000 | 1,575 | 44 | 39 | 39 | |
| 284BHSW | 33' 5" | 96" | 132" | 81" | 6,035 | 710 | 7,500 | 1,465 | 44 | 39 | 39 | |
| 287BHSW | 33' 5" | 96" | 132" | 81" | 6,005 | 645 | 7,500 | 1,495 | 44 | 39 | 39 | |
| 32BDSW | 36' 2" | 96" | 136" | 81" | 7,195 | 825 | 8,750 | 1,555 | 46 | 32.5 | 39 | |



JAY FLIGHT | 21QB

Ext. Lgth: 25' 6" Ext. Ht: 127" Unloaded Wt (lbs.): 4,385 Sleeps: 4




JAY FLIGHT | 24RBS OPTION B

Ext. Lgth: 28' 8" Ext. Ht: 127" Unloaded Wt (lbs.): 5,420 Sleeps: 4-6



JAY FLIGHT | 27BHS OPTIONS: B, D

Ext. Lgth: 31' 8" Ext. Ht: 130" Unloaded Wt (lbs.): 6,335 Sleeps: 7-10



JAY FLIGHT | 28RLS OPTIONS: B, D

Ext. Lgth: 32' 5" Ext. Ht: 134" Unloaded Wt (lbs.): 6,405 Sleeps: 3-6



JAY FLIGHT | 23RB OPTION A

Ext. Lgth: 27' 2" Ext. Ht: 127" Unloaded Wt (lbs.): 4,560 Sleeps: 4-6



JAY FLIGHT 26BH OPTIONS: A, C

Ext. Lgth: 29' 3" Ext. Ht: 127" Unloaded Wt (lbs.): 4,805 Sleeps: 8-10



JAY FLIGHT | 28BHBE OPTION D

Ext. Lgth: 33' 5" Ext. Ht: 135" Unloaded Wt (lbs.): 6,510 Sleeps: 9-10



JAY FLIGHT | 29BHDS | OPTION D

Ext. Lgth: 34' 1" Ext. Ht: 135" Unloaded Wt (lbs.): 7,250 Sleeps: 8-10

OPTIONS:

OPTION A









FLOORPLAN LEGEND:

S STORAGE

TRAILER HITCH

H TRAILER HITCH
LAV BATHROOM SINK
MED MEDICINE CABINET

MICRO MICROWAVE
OHC OVERHEAD CABINETS
FRIDGE REFRIGERATOR
WARD WARDROBE



JAY FLIGHT | 29QBS OPTION D

Ext. Lgth: 34' 11" Ext. Ht: 134" Unloaded Wt (lbs.): 6,785 Sleeps: 8-10



JAY FLIGHT | 29RKS OPTIONS: B, D, E

Ext. Lgth: 33' 9" Ext. Ht: 134" Unloaded Wt (lbs.): 6,700 Sleeps: 3-6



JAY FLIGHT | 29RLDS | OPTIONS: D, E

Ext. Lgth: 33' 2" Ext. Ht: 136" Unloaded Wt (lbs.): 6,735 Sleeps: 2-4



JAY FLIGHT | 31QBDS OPTION D

Ext. Lgth: 35' 11" Ext. Ht: 135" Unloaded Wt (lbs.): 7,560 Sleeps: 8-10



JAY FLIGHT | 32BHDS OPTION D

Ext. Lgth: 36' 2" Ext. Ht: 135" Unloaded Wt (lbs.): 7,595 Sleeps: 8-10



JAY FLIGHT | 32TSBH OPTION D

Ext. Lgth: 36' 2" Ext. Ht: 134" Unloaded Wt (lbs.): 8,240 Sleeps: 9-11



JAY FLIGHT 33RBTS OPTIONS: B, D, F

Ext. Lgth: 37' 8" Ext. Ht: 134" Unloaded Wt (lbs.): 8,530 Sleeps: 7-9



JAY FLIGHT 34RSBS OPTIONS: B, E, G, H

Ext. Lgth: 37' 6" Ext. Ht: 134" Unloaded Wt (lbs.): 8,600 Sleeps: 3-6



s

JAY FLIGHT | 38BHDS OPTIONS: D, H, I, J, K

Ext. Lgth: 40' 4" Ext. Ht: 135" Unloaded Wt (lbs.): 8,015 Sleeps: 8-10

JAY FLIGHT 38FDDS OPTIONS: D, H, I

Ext. Lgth: 40' 4" Ext. Ht: 135" Unloaded Wt (lbs.): 7,990 Sleeps: 6-8

OPTIONS:







CHIL N' STOR OPTION S



HIDE-A-BED OPTION

OPTION E







OPTION H



JAY FLIGHT SPECS







FLOORPLAN LEGEND:

s STORAGE

Œ TRAILER HITCH LAV BATHROOM SINK MED MEDICINE CABINET

MICRO MICROWAVE OHC OVERHEAD CABINETS FRIDGE REFRIGERATOR

WARD WARDROBE

| MODELS | DIMENSIONS | | | | | WEIGHT (LBS.) | | | | TANKS (GALS.) | | |
|-----------|------------------------------|-------------------|----------------------------------|--------------------|-------------------------------|---------------------|--------------------------------------|-------------------------------|--|------------------------------------|-------------------------------------|--|
| FLOORPLAN | EXTERIOR TRAVEL LENGTH | EXTERIOR WIDTH | EXTERIOR HEIGHT (WITH A/C) | INTERIOR HEIGHT | UNLOADED VEHICLE WEIGHT | DRY HITCH WEIGHT | GROSS VEHICLE WEIGHT RATING | CARGO CARRYING CAPACITY | FRESH WATER CAPACITY (INCLUDES WATER HEATER) | GREY WASTE WATER CAPACITY | BLACK WASTE WATER CAPACITY | |
| 21QB | 25' 6" | 96" | 127" | 81" | 4,385 | 490 | 6,500 | 2,115 | 90 | 39 | 39 | |
| 23RB | 27' 2" | 96" | 127" | 81" | 4,560 | 580 | 6,500 | 1,940 | 90 | 39 | 39 | |
| 24RBS | 28' 8" | 96" | 127" | 81" | 5,420 | 620 | 7,500 | 2,080 | 82 | 39 | 39 | |
| 26BH | 29' 3" | 96" | 127" | 81" | 4,805 | 525 | 7,000 | 2,195 | 90 | 39 | 39 | |
| 27BHS | 31' 8" | 96" | 130" | 81" | 6,335 | 605 | 8,250 | 1,915 | 82 | 39 | 39 | |
| 28BHBE | 33' 5" | 96" | 135" | 81" | 6,510 | 685 | 9,250 | 2,750 | 82 | 39 | 39 | |
| 28RLS | 32' 5" | 96" | 134" | 81" | 6,405 | 700 | 8,750 | 2,345 | 82 | 39 | 39 | |
| 29BHDS | 34' 1" | 96" | 135" | 81" | 7,250 | 695 | 9,750 | 2,500 | 86 | 71.5* | 39 | |
| 29QBS | 34' 11" | 96" | 134" | 81" | 6,785 | 845 | 9,500 | 2,715 | 86 | 39 | 39 | |
| 29RKS | 33' 9" | 96" | 134" | 81" | 6,700 | 770 | 9,500 | 2,800 | 86 | 78* | 39 | |
| 29RLDS | 33' 2" | 96" | 136" | 81" | 6,735 | 805 | 9,250 | 2,450 | 86 | 39 | 39 | |
| 31QBDS | 35' 11" | 96" | 135" | 81" | 7,560 | 860 | 10,250 | 2,690 | 86 | 40.5* | 39 | |
| 32BHDS | 36' 2" | 96" | 135" | 81" | 7,595 | 955 | 9,975 | 2,380 | 86 | 32.5 | 39 | |
| 32TSBH | 36' 2" | 96" | 134" | 81" | 8,240 | 725 | 10,500 | 2,260 | 86 | 40.5* | 39 | |
| 33RBTS | 37' 8" | 96" | 134" | 81" | 8,530 | 865 | 10,950 | 2,420 | 86 | 78* | 32.5 | |
| 34RSBS | 37' 6" | 96" | 134" | 81" | 8,600 | 1,275 | 10,950 | 2,350 | 86 | 78* | 39 | |
| 38BHDS | 40' 4" | 96" | 135" | 81" | 8,015 | 1,155 | 10,950 | 2,935 | 90 | 39 | 39 | |
| 38FDDS | 40' 4" | 96" | 135" | 81" | 7,990 | 1,145 | 10,950 | 2,960 | 90 | 39 | 39 | |

*Split Tank

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart above.

| | 1.1001 | Lax e toon |
|--------|------------------------|-----------------|
| cid. | REAL Troops Bay Flight | t SIX. Sey High |
| 201/11 | Jay | Jay Fr. |

| | - | | / |
|---|-------|-------------|---------|
| Exterior Equipment | | / | |
| I-class cambered structural steel I-beams | | S | S |
| 3-inch, cambered, steel box tube frame | S | | |
| Fully integrated A-frame | S | S | S |
| Front diamond plate | CVP | CVP | S |
| Power tongue jack | | | CVP |
| 20-pound propane bottle(s) | S (1) | S (2) | |
| 30-pound propane bottles with cover (2) | | | CVP |
| 5/8-inch tongue-and-groove plywood floor decking | | S | S |
| Magnum Truss™ Roof System with seamless DiFlex II material | S | S | S |
| 2-sided, reflective foil insulation in flush-floor slideout room floors | | S | S |
| Large exterior downspouts | | | S |
| 30-inch x 72-inch main entrance door | | | S |
| Large entry door grab handle | | | ELITE |
| Amber patio light | S | S | |
| Entrance doors and baggage doors all Keyed-Alike™ | S | S | S |
| Radial tires with galvanized steel, impact-resistant wheel wells | S | S | S |
| Front window with integrated rock guard | S | | |
| Spare tire with cover | S | S | CVP |
| Solar prep | | | ELITE |
| Sani-Con® holding tank emptying system | | 0 | 0 |
| Black tank flush | | | ELITE |
| Second fresh water tank (80-gallon capacity) | | BAJA OPTION | ELITE |
| Exterior speakers | S | S | S |
| Power awning | CVP | CVP | |
| Power awning with LED light | | | S |
| Pullout camp kitchen (24RBS, 27BHS, 242BHSW, 284BHSW) | | S | S |
| Outside kitchen (std. in 29BHDS, 32BHDS, 32TSBH and 33RBTS; opt. in 29QBS and 31QBDS) | | | S/0 |
| Outside shower | | S | CVP |
| Utility lighting system | | | S |
| Aluminum rims | | | 0 |
| 13,500-BTU roof-mounted A/C | 0 | S | CVP |
| 15,000-BTU roof-mounted A/C | | 0 | 0 - CVP |
| Wall-mounted 8,000-BTU A/C | S | | |
| 30-amp service | S | S | S |
| 50-amp service with second A/C prep (select models) (std. in 34RSBS) | | 0 | 0 |
| Second A/C in bedroom (select models) | | | 0 |
| Electric stabilizer jacks (4) | | | 0 |

| | 20. | 7 20. | / 20. |
|--|---------|---------|-------|
| Cargo accessory receiver (n/a on 21QB, 23RB, 26BH, 27BHS) | | | 0 |
| Chil N' Stor (23RB, 26BH, 245RLSW) | | 0 | 0 |
| Bumper-mount outside grill | | | 0 |
| Patio door (29RKS, 29RLDS, 34RSBS) (std. on 38BHDS, 38FDDS) | | | 0 |
| Enclosed underbelly | | 0 | |
| Thermal Package: Insulated, heated (n/a on 23RB, 26BH) and enclosed underbelly and 2-sided reflective foil insulation in main roof and slideout floors | | | 0 |
| Fiberglass sidewalls with frameless windows | | | 0 |
| Roof ladder | | | 0 |
| Stabilizer jacks with sand pads | CVP (2) | CVP (4) | S (4) |
| Baja Edition Package (Idaho build units only): | | | |

0

0

Triple step, stabilizer jacks (4), black diamond plate sidewall skirt, 30-pound propane bottle,

off-road tires with black rims, flipped axle, enclosed underbelly, 20-gallon fresh water tank (145RB, 154BH), 30-gallon fresh water tank (174BH, 175RD, 195RB), double-tread step

Baja Edition Package (Idaho build units only):
Solar prep, triple step, 16-inch off-road tires, flipped axle, enclosed underbelly, second fresh water tank (80-gallon capacity), double-tread step

| Interior Equipment | | | |
|--|-----|-----|-------|
| 81-inch ceiling height | | S | S |
| Maple mission-style cabinet doors | S | S | ELITE |
| Wardrobe/pantry storage | S | S | S |
| Coat hook by entry door (select models) | | | S |
| Acrylic sink | S | | |
| Large 60/40 kitchen sink | | S | |
| Large 60/40 kitchen sink with pullout faucet | | | ELITE |
| Kitchen sink covers | | | ELITE |
| 2-burner range | S | | |
| 3-burner range with 9,000-BTU SuperBurner™ and piezo igniter | | S | S |
| Range hood | CVP | CVP | S |
| Oven | | S | |
| Stainless oven | | | ELITE |
| Vented kitchen window | | | S |
| Kitchen skylight with shade | | | 0 |
| LED accent lighting in kitchen | | | S |
| 3-cubic-foot refrigerator with temperature controls | S | | |
| 6-cubic-foot Norcold® refrigerator with temperature controls | | S | |

JAY FLIGHT SLX INTERIOR DÉCOR (8-FOOT-WIDE MODELS ONLY)

EARTH



SMOKE



| | 1, total | Moto |
|---------|------------------|-----------------------------|
| χ, | Lea X II. footil | t at the tool to the tright |
| 787 LIG | Jay Filds | Jay Fright |

| | | / | / |
|---|-----|-----|-------|
| Interior Equipment (Continued) | | | |
| 8-cubic-foot refrigerator with stainless front (18-cubic-foot residential refrigerator in 38BHDS, 38FDDS) | | | ELITE |
| Microwave | S | S | |
| Stainless microwave | | | ELITE |
| Brushed nickel faucets | S | S | S |
| 6-gallon gas water heater | CVP | | |
| 6-gallon gas DSI water heater | | CVP | |
| 6-gallon gas/electric DSI water heater (10-gallon in 38BHDS, 38FDDS) | | | CVP |
| Water heater bypass | CVP | CVP | CVP |
| Decorative dinette and slideout room lighting (SuperSlide models) | | | S |
| Vented windows in the slideout room end walls (SuperSlide models) | | | S |
| Smoked-glass cabinet inserts (select models) | | S | S |
| Indoor/outdoor dinette table (select models) | S | | |
| Up/down-style dinette table (main booth dinette only) | | | S |
| Freestanding table with 4 chairs (select models) (std. on 29RLDS) | | | 0 |
| Hidden-switch command/charging center | | | S |
| Backup/security camera prep | | | S |
| Dual USB/12V charging port | | | ELITE |
| Premium multimedia sound system with MP3/iPod® input jacks and Bluetooth® connectivity | S | S | |
| AM/FM/CD/DVD player with MP3 input and Bluetooth and HDMI® connectivity | | | ELITE |
| J-Steel™ jackknife sofa | | S | S |
| DiamondFlor® vinyl flooring | S | S | S |
| Shaw [®] residential-grade carpet | | S | S |
| Pleated window shades | CVP | CVP | S |
| Digital TV antenna | S | S | CVP |
| Cable/satellite TV hookup | | S | CVP |
| Glass shower door (select models) | | | S |
| Marine toilet with foot flush | S | S | |
| Porcelain foot flush toilet | | | ELITE |
| Shower curtain with curved shower track (select models) | S | S | S |
| Tub surround | | S | CVP |
| Bathroom skylight | CVP | CVP | CVP |
| Bathroom power fan | | | CVP |
| Wood-trimmed mirror in bathroom | S | S | |
| Residential-height plywood bed platforms | S | S | S |

| | ot. D.te. | 201 | *9tc | 1001 | / |
|-----------|-----------|---------|---------|-----------------|---|
| Say Fildt | 24 | JayFiic | Med Let | Jay File | Š |
| | Í | | Í | | _ |

| | 3- | / 3" | / 3" |
|--|----|------|------|
| Main bed struts | | | S |
| Queen Simmons® mattress (n/a on some 7-foot models) | S | S | S |
| 300-pound-rated bunk beds (select models) | S | S | S |
| 600-pound-rated bunk beds (double bunks) | | S | S |
| Privacy curtains in bunk areas (select models) | | S | S |
| Vented bunk windows (select models) | | | S |
| 4-inch-thick bunk mats (select models) | S | S | S |
| Wooden bedroom doors (select models) | | | S |
| Rear sofa with folding bunk (33RBTS) | | | 0 |
| King bed (34RSBS, 38BHDS, 38FDDS) | | | 0 |
| Front quad bunk (38BHDS) | | | 0 |
| Front queen bed (38BHDS) | | | 0 |
| Hide-a-bed (select models) | | | 0 |
| Sofa with folding bunk (33RBTS) | | | S |
| Bedspread with shams | | 0 | S |
| Queen bedspread (174BH, 185RB, 195RB and all 8-foot models) | 0 | 0 | |
| 29-inch LED TV (model specific) | | | 0 |
| 32-inch LED TV (model specific) | | | 0 |
| 39-inch LED TV (model specific) (std. on 34RSBS, 38BHDS, 38FDDS) | | | 0 |
| 48-inch LED TV (284BHSW) | | S | |
| Fireplace (29RLDS, 33RBTS, 38BHDS) | | | 0 |
| Linoleum in living area (33RLDS, 34RSBS, 38FDDS) | | | 0 |
| Multifunctional digital remote | | | 0 |
| | | | |

S - Standard CVP - Customer Value Package (mandatory option)

0 - Optional ELITE - Elite Package (mandatory option)

ELITE PACKAGE:

- Black tank flush
- Second fresh water tank (80-gallon capacity)
- Large main entry door grab handle
- Upgraded faucet with pullout sprayer
- Sink covers
- Porcelain foot flush toilet
- Stainless microwave
- Stainless oven
- Stainless refrigerator front
- Hardwood frame mission-style maple cabinet doors
- AM/FM/CD/DVD player with MP3 hookup/Bluetooth/HDMI
- Solar prep
- Dual USB and 12V charging port

JAY FLIGHT INTERIOR DÉCOR

SHADOW



MINERAL



TUMBLEWEED



CANYON






POPULAR OPTIONS








THEATER SEATING RECLINED



MAIN INTERIOR KEY

- 1. Wood-look blinds
- 2. Residential refrigerator (shown with optional stainless)
- 3. Free-standing range (shown with optional stainless)
- 4. Large panoramic windows
- 5. 39-inch TV
- 6. Fireplace with ledgestone
- 7. Wood-look vinyl flooring
- 8. Interior LED lighting
- 9. Raised-panel hardwood doors with mortise-and-tenon joints
- 10. 30-inch residential microwave (shown with optional stainless)



STANDARD FEATURES










JAY FLIGHT BUNGALOW 40BHQS OPTIONS: A, B, C, D

Ext. Lgth: 40' 2" Ext. Ht: 151" Unloaded Wt (lbs.): 11,220 Sleeps: 6-10



JAY FLIGHT BUNGALOW | 40BHTS OPTIONS: C, D

Ext. Lgth: 40' 11" Ext. Ht: 151" Unloaded Wt (lbs.): 10,570 Sleeps: 5-7



JAY FLIGHT BUNGALOW 40FKDS OPTIONS: C, D

Ext. Lgth: 40' 11" Ext. Ht: 152" Unloaded Wt (lbs.): 10,425 Sleeps: 2-4



JAY FLIGHT BUNGALOW | 40FSDS OPTIONS: C, D

Ext. Lgth: 41' 8" Ext. Ht: 152" Unloaded Wt (lbs.): 10,030 Sleeps: 4



JAY FLIGHT BUNGALOW | 40L0FT OPTIONS: C, D

Ext. Lgth: 40' 10" Ext. Ht: 151" Unloaded Wt (lbs.): TBD Sleeps: 6



JAY FLIGHT BUNGALOW | 40RLTS OPTIONS: C, D

Ext. Lgth: 40' 2" Ext. Ht: 151" Unloaded Wt (lbs.): 10,805 Sleeps: 4

OPTIONS:

OPTION A











FLOORPLAN LEGEND:

S STORAGE MICRO MICROWAVE
TRAILER HITCH OHC OVERHEAD CABINETS
LAV BATHROOM SINK FRIDGE REFRIGERATOR
MED MEDICINE CABINET WARD WARDROBE

JAY FLIGHT BUNGALOW SPECS

| MODELS | DIMENSIONS | | | | WEIGHT (LBS.) | | | | TANKS (GALS.) | | |
|-----------|------------------------------|-------------------|----------------------------------|--------------------|----------------------------|---------------------|--------------------------------|----------------------------|--|------------------------------------|-------------------------------------|
| FLOORPLAN | EXTERIOR TRAVEL LENGTH | EXTERIOR WIDTH | EXTERIOR HEIGHT (WITH A/C) | INTERIOR HEIGHT | UNLOADED VEHICLE WEIGHT | DRY HITCH WEIGHT | GROSS VEHICLE WEIGHT RATING | CARGO CARRYING CAPACITY | FRESH WATER CAPACITY (INCLUDES WATER HEATER) | GREY WASTE WATER CAPACITY | BLACK WASTE WATER CAPACITY |
| 40BHQS | 40' 2" | 102" | 151" | 96" | 11,220 | 1,460 | 13,000 | 1,780 | 48 | 78* | 78 |
| 40BHTS | 40' 11" | 102" | 151" | 96" | 10,570 | 1,650 | 13,000 | 2,430 | 48 | 78* | 39 |
| 40FKDS | 40' 11" | 102" | 152" | 96" | 10,425 | 1,575 | 13,000 | 2,575 | 48 | 78* | 39 |
| 40FSDS | 41' 8" | 102" | 152" | 96" | 10,030 | 1,545 | 12,500 | 2,470 | 48 | 39 | 39 |
| 40LOFT | 40' 10" | 102" | 151" | 96" | TBD | TBD | TBD | TBD | 48 | 71.5* | 39 |
| 40RLTS | 40' 2" | 102" | 151" | 96" | 10,805 | 1,480 | 13,000 | 2,195 | 48 | 32.5 | 39 |

CUSTOMER VALUE PACKAGE (mandatory)

15,000-BTU central A/C

30-pound propane bottles with cover

Bath skylight

Premium sound system with CD/DVD player, MP3 input and Bluetooth® and HDMI® connectivity

Manual stabilizer jacks

30-inch microwave

Power vent in bathroom

Quilted bedspread with shams

Sink covers (2)

Tub surround

Water heater bypass

STANDARD EXTERIOR EQUIPMENT

102-inch wide-body construction

Magnum Truss™ Roof System with seamless DiFlex II material 5/8-inch tongue-and-groove plywood floor decking

12-inch, I-class cambered structural steel I-beams

2-sided reflective foil in flush-floor slideout room floors

Electric-powered slideout rooms with enclosed gear system Radial tires with galvanized steel, impact-resistant wheel wells

E-Z Lube® axles

60-inch, residential-style sliding patio door with Low-E thermal-pane glass

Exterior marine-grade speakers (2)

Manual patio awning

G20 dark-tinted windows

Atrium-style front wall with integrated lights

Utility lighting system

Detachable hitch

Outside shower

Black tank flush sprayer

Solar prep

STANDARD INTERIOR EQUIPMENT

96-inch interior height

84-inch-tall interior doorways

82-inch slideout room interior height

120V ceiling fan in living room and bedroom

Raised-panel cabinet doors with mortise-and-tenon corners

Ball-bearing drawer guides, 75-pound capacity, full extension 18-cubic-foot, residential-style, 120V refrigerator with ice maker 20-inch free-standing 4-burner gas range with oven

Large 60/40, deep-bowl acrylic kitchen sink with residential pullout sprayer

16-gallon effective (10-gallon tank) gas/electric DSI water heater Auto-ignition furnace

Hardwood-look vinyl flooring

Residential Shaw® carpet with padding

Wood-look blinds in living room

Residential-style window treatments

Night shades in bedroom

Hide-a-bed with tri-fold mattress

Electric fireplace with thermostat controls and ledgestone surround

Cable/satellite prep

Hidden-switch command/charging center

Dual USB/12V charging port in bedroom

Medicine cabinet with mirror

Porcelain toilet with foot flush

Simmons® pillow-top mattress

Residential-height master bed

Bedroom stereo speakers (2)

Plywood bed, dinette and bunk bases with 300-pound-rated bunks and Simmons mattress mats

Central vacuum with push-button retract for easy hose storage Electrical outlets in master bedroom on each side of the bed Vented end windows in living room and bedroom slideout rooms (select models)

6-panel-style bathroom and master bedroom doors Interior LED lighting

Recessed LED lights in kitchen area

Living room throw pillows

Upgraded reading lights in master bedroom

Upgraded living room furniture style with all new décor

Decorative dinette ceiling light

Smoked-glass insert on select cabinets

Crown molding on kitchen overhead cabinets

Deluxe bar stools (select models)
Backup/security camera prep

Living room crown molding

Kitchen power vent with wall control

Bathroom power vent with wall control

OPTIONS

Thermal Package: Insulated, heated and enclosed underbelly and 2-sided, reflective foil insulation in main roof and slideout room floors

Desk chair (40BHTS)

Dinette in off-doorside bunk slideout room (40BHQS)

Electric patio awning with LED light

Fiberglass sidewalls

Jackknife sofa in doorside slideout room (40BHQS)

King bed

Roof ladder

Second A/C in bedroom (13,500-BTU)

Slideout awnings

Solid-surface kitchen countertops

Stainless steel kitchen appliances

Theater seats in main living area slideout room

Thermal-pane, tinted safety-glass windows

JAY FLIGHT BUNGALOW INTERIOR DÉCOR

JAVA



PEPPERCORN



MEADOW



CASHMERE



MAKING MEMORIES

THAT LAST GENERATIONS—LET'S JAYCO

Whether you're out for excitement, relaxation or just time together, we take steps others don't to help you stay focused on the fun. No cutting corners here. Let us go the extra mile so you don't have to.



THE JAYCO DIFFERENCE

- Hand-tucked and glued fiberglass insulation increases the insulation value near the 2-inch x 2-inch wooden studs; competitors use a blanket-insulation technique
- An optional fiberglass package offers a smooth, sleek look; front walls are vacuum-bonded for added durability, while the sidewalls and rear walls are pinch rolled, for an affordable combination
- 3. Magnum TrussTM Roof System withstands 4,500 pounds—50 percent more than other roofs; by using ³/₈-inch plywood decking (n/a on Jay Flight SLX) screwed down at every seam, we offer higher durability than competitors' stapled construction; a one-piece, sidewall-wrapped DiFlex II material provides the ultimate in leak protection
- 4. Durable floors feature 5/8-inch tongue-and-groove plywood (n/a on Jay Flight SLX) on 2-inch x 3-inch wooden joists, wrapped with a protective moisture barrier to keep the elements at bay
- Galvanized steel wheel wells, not found on competing models, reduce heat loss and prevent damage in case of road debris
- 6. Integrated A-frame prevents the hitch from buckling



JAY FLIGHT BUNGALOW EXCLUSIVE


- A unique residential-style atrium profile creates a more home-like feel; vented windows and a 60-inch patio door maximize your comfort
- A detachable hitch lets you remove the hitch during long-term stays

WE START WITH ONE OF THE INDUSTRY'S Strongest foundations

I-class cambered structural steel I-beams: Jayco uses a unique molded, one-piece design to prevent the unit from twisting; competing three-piece I-beams can warp over time

at the welded seams.

Many competitors modify or weld stock frames, which can weaken the integrity of your foundation. Jayco's custom-manufactured frames offer higher strength and durability.



Learn more at StrongFoundation.Jayco.com

JAYCO'S ROOF **VS** OTHER ROOFS





4,500 POUNDS ON A JAYCO ROOF VS. OTHER ROOFS

THE MAGNUM TRUSS™ ROOF SYSTEM **50 percent stronger**



TRAVEL WITH CONFIDENCE

At Jayco, we build our RVs to handle every adventure, then back them with our industry-leading 2-year limited warranty. We, with support from our select partners, have you covered for **2 camping seasons**. That's **730 days**. You won't find a better warranty in the business, because the only strings we attach are those that deliver the ultimate in reliability. That's the Jayco difference. So go explore. We have the warranty that will follow you anywhere. For a copy of our 2-year limited warranty with full terms and conditions, please contact your local Jayco dealer.




JAYCO'S INDUSTRY-LEADING 2-YEAR LIMITED WARRANTY



Generations of family fun.







ROADSIDE ASSISTANCE



A year's access to Coach-Net[™]—the country's

largest RV emergency road service.

eco advantage

Jayco's long-term commitment to generations of family fun

After five years of increased efforts to eliminate waste, conserve energy and increase recycling, we've come a long way in building RVs that are not only better for your family—but also better for the planet.

Learn more at Jayco.com/EcoAdvantage

Follow Jayco







