



### GO NOW, BECAUSE LATER HAS A BAD HABIT OF BECOMING NEVER....

Amid the uncertainty, one thing you can count on is the distractions that keep us away from doing the things we love, have been greater than ever. Right or wrong, we often give these distractions priority in our lives. The past few months have taught us many things, one being we can work and play while being socially responsible from almost anywhere in this great country. All we need are the right tools for the task. Since 1965, Lance Camper has been building some of the highest quality memory-making tools in the business.

Please enjoy your time reviewing our 2022 product lineup, we are excited to be able to bring you what we consider our best yet!

So, let's spend this season and beyond making more memories with the ones we love.....











Top Floor Plan







2







# **SPECIFICATIONS, STANDARDS & OPTIONS**

|                                    | 1475           | 1575      | 1685        | 1770                 | 1875        | 1985      | 1995      | 2055      | 2075      | 2185      | 2285      | 2375      | 2445      | 2465      |
|------------------------------------|----------------|-----------|-------------|----------------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Floor Length                       | 14' 10"        | 15' 9"    | 16' 6"      | 17' 11"              | 18' 1"      | 18' 9"    | 19' 2"    | 20' 10"   | 20' 3"    | 21' 2"    | 22' 6"    | 23' 6"    | 24' 11"   | 24' 11"   |
| Overall Length                     | 19' 8"         | 20' 5"    | 21' 5"      | 22' 10"              | 23' 0"      | 23' 8"    | 24' 1"    | 25' 9"    | 24' 9"    | 26' 1"    | 27' 5"    | 28' 5"    | 29' 10"   | 29' 10"   |
| Width (Exterior)                   | 84 3/8"        | 84 3/8"   | 96 3/8"     | 96 3/8"              | 96 3/8"     | 96 3/8"   | 96 3/8"   | 96 3/8"   | 96 3/8"   | 96 3/8"   | 96 3/8"   | 96 3/8"   | 96 3/8"   | 96 3/8"   |
| Height (Exterior) STD. A/C         | 10' 4"         | 10' 4"    | 10' 4"      | 10' 4"               | 10' 4"      | 10' 5"    | 10' 5"    | 10' 5"    | 10' 5"    | 10' 5"    | 10' 5"    | 10' 7"    | 10' 7"    | 10' 7"    |
| Height (Interior)                  | 80"            | 80"       | 80"         | 80"                  | 80"         | 80"       | 80"       | 80"       | 80"       | 80"       | 80"       | 80"       | 80"       | 80"       |
| Dry Weight* – Overall Weight       | TBD            | TBD       | TBD         | TBD                  | TBD         | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       |
| Axle Weight* – Towed Weight        | TBD            | TBD       | TBD         | TBD                  | TBD         | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       |
| Hitch Weight* – Hauled Weight      | TBD            | TBD       | TBD         | TBD                  | TBD         | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       |
| Cargo Capacity* – Gear             | TBD            | TBD       | TBD         | TBD                  | TBD         | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       |
| Available Axle Capacity**          | TBD            | TBD       | TBD         | TBD                  | TBD         | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       |
| GAWR (Per Axle)                    | 3500           | 3500      | 2900        | 3500                 | 3500        | 3500      | 3500      | 3500      | 3500      | 3500      | 3500      | 3900      | 3900      | 3900      |
| GVWR                               | TBD            | TBD       | TBD         | TBD                  | TBD         | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       | TBD       |
| Fresh Tank (Gal)                   | 26             | 26        | 45          | 45                   | 45          | 45        | 45        | 45        | 45        | 45        | 45        | 45        | 45        | 45        |
| Gray Tank (Gal)                    | 26             | 26        | 40          | 40                   | 40          | 40        | 40        | 40        | 40        | 40        | 2/40      | 40        | 2/40      | 40        |
| Black Tank (Gal)                   | 26             | 26        | 40          | 40                   | 40          | 40        | 40        | 40        | 40        | 40        | 40        | 40        | 40        | 40        |
| Propane Tank (#/Gal)               | 1/5            | 1/5       | 3/5         | 3/5                  | 3/5         | 3/5       | 3/5       | 3/5       | 3/5       | 3/5       | 3/5       | 3/5       | 3/5       | 3/5       |
| Furnace BTU                        | 14.3K          | 14.3K     | 25K         | 14.3K                | 14.3K       | 25K       | 25K       | 25K       | 14.3K     | 25K       | 25K       | 25K       | 25K       | 25K       |
| Converter / Loadcenter (AMP)       | 45             | 45        | 60          | 60                   | 60          | 60        | 60        | 60        | 60        | 60        | 60        | 60        | 60        | 60        |
| Sleeping Capacity (Min./Opt. Max.) | 2/3            | 4         | 5           | 4                    | 4           | 4         | 4         | 6         | 4         | 7         | 6         | 4/5       | 8         | 5         |
| Convertible Dinette Bed            | Opt. 36" x 59" | 46" x 78" | 54" x 78"   | 40" x 80"            | 46" x 78"   | 54" x 78" | 54" x 78" | 54" x 78" | 40" x 80" | 54" x 78" | 54" x 78" | 42" x 78" | 42" x 78" | 42" x 70" |
| Master Bed Size                    | 60" X 80"      | 60" X 80" | 60" X 80" ( | 38" x 80"/ 32" x 80' | ' 60" X 80" | 72" x 80  |


\* Estimates

\*\* When looking at cargo capacity you must consider the hitch weight of the trailer and axle capacity. Hitch weight is actually being hauled while the remaining Trailer weight on the axle(s) is being towed. Example if a trailer has a total weight of 4000 pounds with a 400 pound hitch weight that would mean 3600 pounds is on the axle(s). If the axle weight rating is 5200 for this unit you will have 1600 of axle capacity for cargo









1770 - **ALL NEW!** 



1875 - **ALL NEW!** 





ALC:


FRIDGE

Sofa Bed Size 36" x 63"

τv

0

2285



Optional Sofa Bed

2055 - **ALL NEW!** 





Sofa Bed Size 42" x 72"

FRIDGE

2375 Optional Sofa Bed Size 49" x 68"

.

· 100

## **SPECIFICATIONS, STANDARDS & OPTIONS**

### EXTERIOR

| EXTERIOR  |    |    |      |             |                |        |               |           |    |     |       |          |        |      |        |
|---|----|----|------|-------------|----------------|--------|---------------|-----------|----|-----|-------|----------|--------|------|--------|
| Laminated Fiberglass Bonded Exterior w/Azdel Substrate  | •  | •  | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| Leaf Spring Suspension W/Road Armor Equalizer   | •  | •  | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| Shock Absorber Package  | 0  | 0  | 0    | 0           | 0              | 0      | 0             | 0         | 0  | 0   | 0     | 0        | 0      | 0    | TBD    |
| Manual Stabilizer Jacks w/Foot Pad  | •  | •  |      |             |                |        |               |           |    |     |       |          |        |      |        |
| Electric Stabilizer Jacks w/Foot Pad  |    |    | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| Electric Smart Tongue Jack  |    | _  |      |             |                |        |               |           |    |     |       |          | _      |      |        |
| W/Car Cord/Safety Chain Storage Holder<br>Hitch Ball Size                                     | 2" | 2" | 05/  | •<br>•05/ • | •<br>105/ II   | 0.5/ # | •             | 05/ #     | •  | •   | 05/ # | 05/ #    | 0.5/ 1 | •    |        |
| Aluminum Wheels w/Goodyear Radial Tires   | 2  | 2  | 2%16 |             | '25/16"<br>15" | 2%16   | 25/16"<br>15" | 2%<br>15" |    |     | 2%16  | 2%16     |        | 2%16 |        |
| Spare Tire Carrier W/Rim & Tire   | 14 | 14 | 15   | 10          | 10             | 15     | 10            | 10        | 10 | 10  | 10    | 10       | 10     | 10   |        |
| Lightweight Hybrid Double Step - 24" (* 2 ea.)  |    | •  | •    |             | •              |        |               |           |    |     |       |          | •      | •    |        |
| W/LED Courtesy Lighting   |    |    |      |             |                |        |               |           |    | •*  | •*    | •*       |        |      |        |
| Glow-Step Revolution - 25"  | 0  | 0  | 0    | 0           | 0              | 0      | 0             | 0         | 0  | 0   | 0     | 0        | 0      | 0    | 17     |
| Molded Fiberglass Front Cap W/TPO Gravel Guard and Propane Cover                              | ~  | •  | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| Formed Jewel LED Docking Lights   | •  | •  | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| Rear TPO Evebrow w/Formed Vertical Side Pillars   |    |    |      |             |                |        |               |           |    |     |       |          |        |      |        |
| and Integrated LED Lighting   |    |    | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| Radius Acrylic Tinted Thermopane Euro Windows   |    |    |      |             |                |        |               |           |    |     |       |          |        |      |        |
| W/Combo Screen/Blackout Shades  | ٠  | ٠  | ٠    | ٠           | ٠              | ٠      | ٠             | ٠         | ٠  | ٠   | ٠     | ٠        | ٠      | ٠    |        |
| Large Opening Stargazer Acrylic Tinted Thermopane   |    |    |      |             |                |        |               |           |    |     |       |          |        |      |        |
| Front Euro Window   | •  | •  | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| Slide-Out End Wall Window(s)  |    |    | •    | •           | •              | •      | •             | ٠         |    | •   | •     | •        | •      | ٠    |        |
| Phat Ladder (Thule Telescoping Ladder 2075 Model)   |    |    | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| Roof Rack System  |    |    | 0    | 0           | 0              | 0      | 0             | 0         | 0  | 0   | 0     | 0        | 0      | 0    | 35     |
| Radius Cornered Storage Compartment Doors   | •  | •  | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| Slam Latch on Forward Storage Compartment Door  |    |    | •    |             | •              | •      | •             | •         | •  | •   | •     | •        | •      |      |        |
| Keyed-Alike Storage Compartment Doors   | •  | •  | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| Euro Radius Entry Door W/Insulated Window,  |    | _  |      |             |                |        |               |           |    |     |       |          |        |      |        |
| Pull Shade & Retractable Screen   | •  | •  | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| Roof Vent in Bed Area (Fantastic Fan)   | •  | •  | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| Roof Vent in Living Area  | •  | •  | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| Skylight in Galley/Dinette Area   | •  | •  | •    | -           |                | •      | •             |           |    | •   | •     | •        | •      | •    |        |
| MIDI Skylight Vent in Dinette and Bed Areas<br>MaxxAir Roof Vent Covers                       | 0  | 0  | 0    | •           | 0              | 0      | 0             | 0         | •  | 0   | 0     | 0        | 0      | 0    |        |
|   | 0  | 0  | 0    | 0           | 0              | 0      | 0             | 0         | 0  | 0   | 0     | 0        | 0      | 0    | TBD    |
| Exterior Wash Station<br>Exterior Kitchen   | •  | •  | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    | 178/79 |
|   |    |    |      |             | •              |        |               | •         | •  | •   |       |          | •      | •    | 1/0//9 |
| Exterior Propane Connection<br>48" Portable Folding Table w/Built-In Exterior Storage Feature | •  | •  | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| Exterior TV Mounting Puck W/Removable Bracket   | •  | •  | •    |             | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
|   | •  | -  | •    | •           |                |        | •             | •         | -  | •   | •     | •        | -      |      |        |
| 2" Utility Receiver (300lb Limit)   | •  | •  | •    | •           | •              | •      | •             | •         | •  | •/2 | •/2   | •<br>•/2 | •      | •    |        |
| Swing-Out Entry Assist Handle<br>Pull-Out Storage Tray (MorRyde)                              | 0  | 0  | 0    | •           | 0              | 0      | 0             | 0         | •  | •/2 | •/2   | •/2      | •      | •    | TBD    |
| Awning Slide-Out Cover  | 0  | 0  | 0    |             | 0              | 0      | 0             | 0         | 0  | 0   | 0     | 0        | 0      | 0    | 16-32  |
| Electric Awning 7' 2" Rear W/LED Lighting   |    | 0  | 0    |             | 0              | 0      | 0             | 0         | 0  | 0   | 0     | 0        | 0      | 0    | TBD    |
| 0 0   |    | •  |      |             | •              |        |               |           | 0  |     |       |          |        |      | IDU    |
| Electric Awning 12' 0" w/LED Lighting   | •  | •  | •    | •           | •              |        |               |           | •  | •   |       |          |        |      |        |
| Electric Awning 16' 0" w/LED Lighting   |    |    |      |             |                | •      | •             | •         | •  | •   |       |          |        |      |        |
| Electric Awning 19' 0" w/LED Lighting<br>Backup Camera w/Wireless Monitor                     | 0  | 0  | 0    | 0           | 0              | 0      | 0             | 0         | 0  | 0   | •     | •        | •      | 0    | 2      |
| Portable Generator Storage Compartment  | 0  | 0  | U    | 0           | 0              | 0      | 0             | 0         | 0  | 0   | 0     | 0        | 0      | 0    | 2      |
| w/Tie-Downs and Security Toy Lock   |    |    |      |             |                |        |               |           |    |     |       |          |        |      |        |
| Power Cord/Water Hose Storage Compartment   |    |    | •    | •           | •              | •      | •             | •         | •  | •   | •     | •        | •      | •    |        |
| i owor oora/water nose otorage oompartment  |    |    | -    | -           | -              | -      | -             | -         | -  | -   | -     | -        | -      | -    |        |

### 

### **CONSTRUCTION/INSULATION**

| One-Piece Roof (TPO)  | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |  |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Exterior Tapered Ducted Air Roof Design<br>(1475 & 1575 Remain Non-Ducted)      | • | • | • | • | • | • | • | • | • | • | • | • | • | • |  |
| CNC Cut & Laminated Floor/ Ceiling<br>W/ Aluminum Frame & Block Foam Insulation | • | • | • | • | • | • | • | • | • | • | • | • | • | • |  |
| Azdel Interior Panel Walls  | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | • |  |
| 4 Seasons Comfort Technology Package  | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | • |  |
| -Fully Enclosed Underbelly Design<br>W/Insulated and Heated Holding Tanks       | • | • | • | • | • | • | • | • | • | • | • | • | • | • |  |
| -Insulated Hatch Covers   | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | • |  |
| -Water Heater Bypass and Winterizing Valve (*WH Bypass Valve)                   | * | * | ٠ | * | ٠ | ٠ | ٠ | ٠ | * | ٠ | ٠ | ٠ | ٠ | • |  |

### **INTERIOR/DECOR**

| Interior - Grayson  | 0   | 0 | 0 | 0 | 0 | 0  | 0 | 0 | 0 | 0  | 0   | 0   | 0 | 0 |     |
|---|-----|---|---|---|---|----|---|---|---|----|-----|-----|---|---|-----|
| Interior - Bronzite   | 0   | 0 | 0 | 0 | 0 | 0  | 0 | 0 | 0 | 0  | 0   | 0   | 0 | 0 |     |
| Interior - Lapis  | 0   | 0 | 0 | 0 | 0 | 0  | 0 | 0 | 0 | 0  | 0   | 0   | 0 | 0 |     |
| Sofa Bed w/Kick Out Foot Rests  |     |   |   |   |   |    |   |   |   |    | ٠   |     |   |   |     |
| Sofa Bed (Slide-Out)  | 0   |   |   |   |   |    |   |   |   |    |     |     |   |   | 185 |
| J-Lounge  |     |   |   |   |   |    |   |   |   |    |     | 0   |   | ٠ | 98  |
| Swivel Rockers (1 Swivel Rocker / 1 Swivel Only - 1475 Model)                   | •/2 |   |   |   |   |    |   |   |   |    | 0/2 | •/2 |   |   | 20  |
| Solid Surface Galley Area Countertop<br>and Extensions <i>*Where Applicable</i> | •   | • | • | • | • | •* | • | • | • | •* | •   | •   | • | • |     |
| Hardwood Flat Panel Cabinet Doors   | ٠   | ٠ | ٠ | ٠ | ٠ | ٠  | ٠ | ٠ | ٠ | ٠  | •   | ٠   | ٠ | ٠ |     |
| Radius "Euro" Overhead Cabinet Doors<br>W/Decorative Pulls & LED Lighting       | •   | • | • | • | • | •  | • | • | • | •  | •   | •   | • | • |     |
| Euro-Ply Cabinet Construction   | ٠   | ٠ | ٠ | ٠ | ٠ | ٠  | ٠ | ٠ | ٠ | ٠  | ٠   | ٠   | ٠ | ٠ |     |
| Hidden Trash Can Compartment  |     |   |   |   |   |    |   |   |   |    | ٠   | ٠   | ٠ | ٠ |     |
| Wall Clock & Key Hanger   | ٠   | ٠ | ٠ | ٠ | ٠ | ٠  | ٠ | ٠ | ٠ | ٠  | •   | ٠   | ٠ | ٠ |     |

### **GALLEY/APPLIANCES & EQUIPMENT**

| "Flush Mount" Stainless Steel 3-Burner Range<br>W/ 21" Oven (17" 1575 Model)                 | • | • | • | • | • | • | • | • |   | • | • | • | • | • |  |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| "Flush Mount" 2-Burner Stainless Steel<br>Euro Cooktop w/Glass Cover                         |   |   |   |   |   |   |   |   | • |   |   |   |   |   |  |
| Stainless Steel Microwave Oven   | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |  |
| Refrigerator 2-Way Double Door (Norcold 6 Cu. Ft.)   |   |   | ٠ |   |   | ٠ | ٠ | ٠ |   | ٠ | ٠ | ٠ | ٠ | ٠ |  |
| Refrigerator 3-Way Double Door (Norcold 5 Cu. Ft.)   | ٠ | ٠ |   | ٠ | ٠ |   |   |   | ٠ |   |   |   |   |   |  |
| Galley Single Stainless Steel Sink (Round)<br>W/Residental Single Lever Pullout Sprayer      |   |   |   |   |   |   |   |   | • |   |   |   |   |   |  |
| Single "Undermount" Sink (Round)<br>W/Residental Single Lever Pullout Sprayer                | • | • |   | • | • |   |   | • |   |   |   |   |   |   |  |
| Residential "Undermount" Large Farm Single Sink<br>W/Residental Single Lever Pullout Sprayer |   |   | • |   |   | • | • |   |   | • | • | • | • | • |  |
| Sink Cover(s)  | • | • | ٠ | ٠ | ٠ | ٠ | • | ٠ |   | ٠ | ٠ | ٠ | ٠ | • |  |

### **FRESH AND WASTE WATER SYSTEMS**

| Water Pump W/In-Line Filter Residental Demand System                     | • | • | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |     |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| Water Heater Gas/Electric/ Auto Lite -DSI                                |   |   | ٠ |   |   | ٠ | ٠ | ٠ |   | ٠ | ٠ | ٠ | ٠ | ٠ |     |
| Water Heater Gas/Electric W/Boost Mode Feature<br>(Truma Combi Eco Plus) | • | • |   | • | • |   |   |   | • |   |   |   |   |   |     |
| Tankless Water Heater (Truma Aqua-Go)                                    |   |   | 0 |   |   | 0 | 0 | 0 |   | 0 | 0 | 0 | 0 | 0 | TBD |

### 

### BATHROOM

| Marine Toilet - Foot Pedal - Porcelain W/ Exterior Black Tank Flush |    |   | ٠  | ٠ | ٠ | ٠  | ٠  | ٠ | ٠  | ٠  | ٠  | ٠  | ٠  | •  |  |
|---|----|---|----|---|---|----|----|---|----|----|----|----|----|----|--|
| Marine Toilet - Foot Pedal - Plastic W/ Exterior Black Tank Flush   |    | ٠ |    |   |   |    |    |   |    |    |    |    |    |    |  |
| Marine Toilet - Hand - Plastic W/ Exterior Black Tank Flush         | •  |   |    |   |   |    |    |   |    |    |    |    |    |    |  |
| Residential "Undermount" Oval Lavy Sink                             |    |   |    |   |   |    |    |   |    |    |    |    |    |    |  |
| W/Hi-rise Single Lever Faucet                                       | •  |   | •  |   | ٠ | ٠  | •  | • |    | ٠  | ٠  | •  |    | ٠  |  |
| Residential "Vessel" Lavy Sink W/ Hi-Rise Single Lever Faucet       |    |   |    | ٠ |   |    |    |   | ٠  |    |    |    | ٠  |    |  |
| Tub   |    | • |    |   |   |    |    |   |    |    |    |    |    |    |  |
| Shower Pan  | •  |   | ٠  | ٠ | • | •  | •  | ٠ | ٠  | ٠  | •  | ٠  | ٠  | •  |  |
| Adjustable Slide Bar Shower Head Assembly                           |    | ٠ |    | ٠ | ٠ | ٠  |    | ٠ | ٠  | ٠  | ٠  |    | ٠  | ٠  |  |
| Shower Miser  | •  | ٠ | ٠  | ٠ | ٠ | ٠  | ٠  | ٠ | ٠  | ٠  | ٠  | ٠  | ٠  | ٠  |  |
| Medicine Cabinet W/Mirror Door *LED Lighting Where Applicable       | •* | ٠ | •* | ٠ | ٠ | •* | •* | ٠ | •* | •* | •* | •* | •* | •* |  |
| Folding Lavy Extension  |    |   |    |   |   |    |    |   |    | ٠  | ٠  |    |    |    |  |
| Towel Rod on Wall   | •  | ٠ | ٠  | ٠ | ٠ | ٠  | ٠  | ٠ | ٠  | ٠  | ٠  | ٠  | ٠  | •  |  |
| Towel Ring  |    |   | ٠  | ٠ | ٠ |    | ٠  |   | ٠  | ٠  | ٠  | ٠  | ٠  | •  |  |
| Residential Radius "Glass" Shower Door Enclosure                    |    |   |    |   |   |    |    |   |    |    |    | ٠  |    |    |  |
| Residential Radius "Soft" Shower Door Enclosure                     |    |   |    | ٠ | ٠ | ٠  |    | ٠ | ٠  | ٠  | ٠  |    | ٠  | •  |  |
| Soft Radius Panel Shower Enclosure                                  | •  |   | ٠  |   |   |    | ٠  |   |    |    |    |    |    |    |  |
| Shower Curtain w/Tieback  |    | ٠ |    |   |   |    |    |   |    |    |    |    |    |    |  |
| Skylight - Dual Pane  | •  | • | ٠  | ٠ | ٠ | ٠  | •  | ٠ | •  | •  | ٠  | ٠  | •  | •  |  |
|   |    |   |    |   |   |    |    |   |    |    |    |    |    |    |  |
| Ducted Heat   | •  |   | ٠  | ٠ | ٠ | ٠  | ٠  | ٠ | ٠  | ٠  | ٠  | ٠  | ٠  | ٠  |  |

### BEDROOM

| Twin Beds W/Bedspread & 2 LED Reading Lights                                       |   |   |   | ٠ |   |   |   |   |   |     |   |   |     |   |    |
|--|---|---|---|---|---|---|---|---|---|-----|---|---|-----|---|----|
| Deluxe Queen Pillow Top Innerspring Mattress<br>W/Bedspread & 2 LED Reading Lights | • | • | • |   | • | • | • | • | • | •   | • | • | •   |   |    |
| Deluxe King Pillow Top Innerspring Mattress<br>W/Bedspread & 2 LED Reading Lights  |   |   |   |   |   |   |   |   |   |     |   |   |     | • |    |
| Bedspread W/Foot Throw   | • | • | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | •   | ٠ | ٠ | ٠   | ٠ |    |
| Convertible Sofa/Queen Bed (Standard 1875 Model)                                   |   |   |   |   |   | 0 | 0 | 0 |   | 0   |   |   |     |   | 72 |
| Fold-Up Bunk Beds (250 lbs. Weight Limit)  |   |   |   |   |   |   |   |   |   | •/3 |   |   | •/2 |   |    |
| Privacy Curtain  |   |   | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | •   | ٠ | ٠ | ٠   | ٠ |    |
| Privacy Divider Door(s)  |   |   |   |   |   |   |   |   |   |     |   |   |     |   |    |

#### DINETTE

| Dinette w/Locking Pull-Out Storage Drawers | • | ٠ | • | ٠ | • | • | • | ٠ | ٠ | ٠ | • |
|--|---|---|---|---|---|---|---|---|---|---|---|
| U-Shaped Dinette w/Euro                    |   |   |   |   |   |   |   |   |   |   |   |
| Telescoping/360 Degree Adjusting Table Top |   |   | • |   |   |   | • |   |   |   |   |

#### ELECTRICAL

| ELECIKICAL  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |        |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Systems Monitor Panel W/Battery Indicator             | • | • | ٠ | ٠ | ٠ | • | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |        |
| 12V/USB Charging Port(s)                              | • | • | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |        |
| Lithium Battery (Up to 2)                             | 0 | 0 | 0 |   |   | 0 | 0 |   | 0 | 0 | 0 | 0 | 0 | 0 | 34 ea. |
| Upgraded Battery Monitor                              | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | TBD    |
| 1500W Inverter  | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | TBD    |
| LED Interior & Exterior Lighting                      | • | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |        |
| Storage Compartment Lighting                          | • | ٠ | ٠ |   | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |   |        |
| Dual Battery Compartment W/Disconnect                 | • | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |        |
| AC – Coleman 15M W/Wall Control and Heat Strip        | • | ٠ |   |   |   |   |   |   |   |   |   |   |   |   |        |
| AC Ducted - Coleman 15M W/Wall Control and Heat Strip |   |   | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |        |
| Wall Thermostat                                       | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |        |
| Fantastic Roof Vent W/Remote in Bedroom Area          | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |        |
|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |        |

|   | 1475 | 1575 | 1685 | 1770 | 1875 | 1985 | 1995 | 2055 | 2075 | 2185 | 2285 | 2375 | 2445 | 2465 | Weight<br>(lbs.) |
|---|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------------------|
| Power Roof Vent in Bath   | •    | •    | •    | •    | •    | •    | •    | •    | •    | •    | •    | •    | •    | •    |                  |
| Pre-Wired for Park/Sat Cable/2nd Fantastic Vent                           | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    |                  |
| JBL AM/FM Stereo W/Powered Bass Sub Woofer                                | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    |                  |
| JBL Interior/Exterior Bluetooth Speaker W/Wall Mount Bracket              | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    |                  |
| TV 24" (110V W/Inverter) Smart LCD W/ TV Antenna HD                       | ٠    | ٠    | ٠    | ٠    |      |      | ٠    | ٠    | ٠    |      |      |      |      |      |                  |
| TV 32" (110V W/Inverter) Smart LCD W/ TV Antenna HD                       |      |      |      |      |      | ٠    |      |      |      | ٠    | ٠    | ٠    | ٠    | ٠    |                  |
| TV 40" (110V W/Inverter) Smart LCD W/ TV Antenna HD                       |      |      |      |      | ٠    |      |      |      |      |      |      |      |      | ٠    |                  |
| TV 24" (110V W/Inverter) Smart LCD - Bedroom                              |      |      |      | 0    |      |      |      | 0    | 0    |      | 0    | 0    | 0    |      | 14               |
| TV 40" (110V W/Inverter) Smart LCD - Bedroom                              |      |      |      |      |      |      |      |      |      |      |      |      |      | 0    | 40               |
| Electric Fireplace  |      |      |      | ٠    |      |      |      |      |      |      |      |      | ٠    | ٠    |                  |
| LED Patio & Hitch Lights - Switched                                       | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    |                  |
| Exterior Receptacle (SAE) Solar Panel Port Side                           | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    | ٠    |                  |
| Solar Panel Pre-Wire  | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 2                |
| Solar Panel/ 190w (Up to 2)   | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 25 ea.           |
| Exterior 12V/120V Patio Outlet<br>and Entertainment Coax Cable Receptacle | •    | •    | •    |      | •    | •    | •    | •    | •    |      | •    | •    | •    |      |                  |
|   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |                  |

Option Weights – All weights are estimates and may vary.

• = Standard Option 0 = Optional Feature

### **AVAILABLE AMENITIES**



**Tri-Five Propane Tanks** allow for extended stays while standard aerodynamic cover looks stylish and keeps tanks protected and out of site. – N/A 1475 & 1575



Portable Generator Storage Compartment with Tie Down Straps. Accommodates Honda EU2200i and similar sized portable generators. (Interior Dimensions 19 3/8" (D) × 26 5/8" (W) × 19" (H) – N/A 1475, 1575 & 2465



Bunk House Models Available (2185 & 2445)



**Optional Exterior Kitchen** (2075 & 2445)

### SELECT STANDARD FEATURES



Leaf Spring & Road Armor Suspension Proven design combined with anti-shock technology, results in less road shock and vibrations transferred from the road to your trailer and ultimately a smoother ride.



Smart 110V LED TV W/Inverter - Enjoy the benefits of today's latest technology whether using shore power or while camping off the grid!



Entry Door - European influenced radius design with integrated shade and screen provide privacy and bug protection.



Four Seasons Comfort Technology Package Key features including ducted holding tank heat, insulated hatch covers & fully enclosed underbelly, keep you warmer in the winter and cooler in the summer!



Latitude Powered Awning - Provides unobstructed shade with direct response wind sensor & LED light bar.



Radius & Ducted Roof - Radius roof design ensures proper rain run off while ducted system distributes air more evenly and efficiently throughout the RV. (Ducted Roof N/A on 1475 & 1575)



Electric Stabilizer Jacks W/Footpad Make setup & teardown sweat free, keeping your trailer stabilized while parked. - N/A 1475 & 1575



Coleman 15M A/C - Quieter running system with heat strip, provides efficient cooling and auxiliary heating source and use of a wider range of generators to power your A/C when not on shore power.



"Lance Life" 4' Exterior Table - We all need one & this one doesn't waste space N/A 1475, 1575, 2465



Powder Coated Steel Frame - Highly durable finish which is resistant to corrosion, keeps your trailer looking great!



JBL Bluetooth Speaker - Wirelessly stream your favorite both inside your RV or around the campfire or on the picnic table!



Front Nose Cap - Great looking design made with durable material to fend off natures worst! Who says you can't have both form and function!



Solid Surface Counter Tops - Residential styled galley counter tops look beautiful while resisting the negative effects of moisture.



2" Receiver (300lb. Limit) - Convenient rear mounted receiver to mount bike racks and carry other appropriate gear.



Solar On The Side - SAE port accepts external aftermarket solar panels to keep your 12v system charged.

### SELECT OPTIONAL FEATURES



Shock Absorbers - Take your suspension to the next level by protecting your trailer against less than perfect roads and providing an even smoother ride.



Truma AquaGo On Demand Water Heater Provides efficient flow of continuous hot water for all your bathing or dish cleaning needs. (N/A 1475, 1575, 1770, 1875 & 2075)




Roof Mounted Solar Panel(s) - Optional 190W panels (up to 2) keeps you and your accessories charged.



vent covers keep the weather out while allowing you to keep your vents open while both stationary as well as when on



"Lance Load" Roof Rack - Exclusive roof rack system safely stores your canoe, kayak, paddle boards...etc. - N/A 1475 & 1575 (Weight Limit 500lbs. Distributed)



UltraSTEPglow Entry Steps - Provides sturdy, adjustable, glow-in-the-dark steps for safe and secure entrance and exit.



sound makes backing up a safer, one-



110V power allowing use of select appliances and devices including laptops, CPAP machines and others, while your away from shore power.



MORryde Slide Out Storage Tray - Rolling smoothly on ball-bearing slides, this heavy duty tray makes storage access in your front storage compartment easy! (N/A 1770 & 2465)



Lithium Batteries - The latest battery technology offers more usable capacity vs. traditional batteries in a lighter, safer package



Rear Camera - With color display and

**Power Invertor** – Converts battery power to

### **CALCULATING TOWED WEIGHT** AND CARRYING CAPACITY

These are general guidelines to use when matching a trailer to your tow vehicle, assuming standard equipment on your trailer. Whether any travel trailer can be used with your vehicle and its capacities for carrying and/or towing is affected by how much optional equipment is added to the trailer, and the weight of passengers and all other items you carry in your tow vehicle and trailer.

To get an approximate weight of the model of your choice equipped with the optional features you are considering, the "Build Yours" feature at lancecamper.com is a great resource. Because we're unfamiliar with your tow vehicle, Lance makes no warranties or representation expressed or implied - as to performance or reliability of your tow vehicle with a Lance trailer. For professional guidance, always consult with your Factory Authorized Lance Dealer. They're trained in calculating proper matches between tow vehicles and trailers.

#### 3,500 POUND TOW RATING



Models: 1475, 1575

#### 5,000 POUND TOW RATING



Models: 1475, 1575, 1685

#### 6,000 POUND TOW RATING




Models: 1475, 1575, 1685, 1770, 1875, 1985, 1995, 2055, 2075, 2185, 2285, 2295

7.000 POUND TOW RATING



Models: 1475, 1575, 1685, 1770, 1875, 1985, 1995, 2055, 2075, 2185, 2285, 2295, 2375, 2445, 2465



A. Overall Weight

Hitch weight is actually being **hauled** while the remaining trailer weight is being **towed**.

#### $\mathbf{A} - \mathbf{B} = \mathbf{D}$


**Ex:** If a trailer has an overall weight of 4k lbs. with 400 lbs. of hitch weight that would mean 3600 lbs. is on the axles and being towed. (4,000 - 400 = 3,600 or **D**. Towed Weight)

Cargo capacity must also consider hitch weight as well as axle weight rating.

#### C - D = Cargo Capacity

**Ex.** If the axle weight rating is 5200 (2600 each x 2) for this unit you will have 1600 lbs. of axle capacity for cargo. (5,200 - 3,600 =1,600 or Cargo Capacity)

### **4 SEASONS COMFORT TECHNOLOGY**



### **KEY FEATURES**



Ducted heat is routed into individually insulated holding tanks to keep them, the valves and PEX lines warm.



Water heater bypass & winterizing valves make draining the system for winter storage a breeze.



Insulated hatch covers add an additional layer of insulation to vents and sky lights.



Fully Enclosed Underbelly - from "tip to tail", your heated holding tanks and junction valves are protected from the elements, allowing operation over 11 broader temperature ranges.


# DESIGN & CONSTRUCTION

- A. The roof is covered in an energystar rated Thermoplastic Polyolefin (TPO) material. Integrated rain gutters and drip spouts prevent the sides of your trailer from streaking.
- **B.** Rigid block foam insulation yields maximum "R" value and promotes structural strength.
- **C.** Interior walls and cabinetry are constructed of Euro-Ply. This superior product is lighter, formaldehyde free and stronger. Providing both beauty and durability.
- D. Keeping it all together are stainless steel fasteners. Unlike our competitors, this expensive hardware resists corrosion making for a lasting investment.
- E. Fiberglass upper nose cap with TPO lower gravel guard with LED lighting, combine for beautiful and resilient protection from the abuses of the road.
- **F.** All seals use an anti-wicking material to prevent moisture from transferring to the laminate walls.

0

- G. Lance uses more expensive Azdel<sup>™</sup> in place of Luan wood, virtually eliminating mold and mildew. It's also lighter, carcinogen and formaldehyde free and has better "R" value for superior insulation.
- **H.** Lance's aluminum framed superstructure provides for an extremely solid trailer that is also lightweight.
- I. Heavy duty leaf spring suspension with "Road Armor" equalizer system and optional shock absorber package, absorbs bumps and vibrations resulting in a more comfortable ride with less stress on your trailer.
- J. Engineered lightweight powder coated, tempered steel chassis provides a reliable and proven platform for years of trouble free operation.
- **K.** Slideout rooms feature smooth, dependable operation. Lighter in weight than other mechanisms, they're also smaller, allowing for more living space.
- L. The slick, gloss fiberglass exterior walls are laminated under intense pressure with heat-setting adhesives for years of trouble-free service.

💼 🗯 LANCECAMPER.COM







Please see lancecamper.com/ warranty for details. 2022 LANCE® TRAVEL TRAILER BROCHURE ©2022 Lance Camper Mfg. Corp. (LCMC). All rights reserved. Lance, the Lance logomark, the Lance logomark with chevron, The Lance Look, Lance Custom Design, LanceLock, ultraDECKplus, ultraSTEPplus, ultraSTEPglow, Discover The Lance Difference, Skyview, Lance Load, Lance Life, LIVE. LANCE. LIFE, REV Group<sup>®</sup> and other exclusive Lance product names, marks, or registered trademarks of LCMC. All other marks are property of their respective owners. All product data, graphics, and photography, illustrations, and/or renderings in this book were as accurate as possible at press time. Subsequent refinements during the model year may be evident in the actual product. LCMC reserves the right to change prices, colors, materials, equipment, and specifications without notice — as well as to add, modify or discontinue models shown in promotional materials and/ or on its websites. All weights, fuel, and liquid capacities are approximate and dimensions are nominal. It is the owner's sole responsibility to select the proper Lance model, tow vehicle, and tow equipment for safe operation. Your Factory Authorized Lance Dealer can advise you of the operating parameters for your particular configuration and can confirm prices and product specifications material before making your purchase decision. See the website for full warranty information. GWWR (Gross Vehicle Weight Rating) is the maximum permissible weight of a fully-loaded RV. Axle Rating is the maximum permissible loaded weight a specific axle is designed to carry. Overall length Is measured from the tip of the hitch to the rear bumper (excludes accessories). Excludes safety

equipment and awnings. The actual propane capacity is 80% of water listing as required by the safety code. Brochure printed in the USA on FSM paper. 1k, 09/20 Rev 1.0

The information provided in this brochure applies to all 2022 model year products.