











SPECIFICATIONS+STANDARDS+OPTIONS

	SHORT BED				LONG BED								
	650	825	855S	865	850	975	995	1062	1172				
Floor Length	6' 10"	8' 6"	8' 11"	8' 7"	8' 11"	10' 4"	9' 11"	10' 11"	11' 11"				
Overall Length	15' 6"	16' 3"	18'	16' 5"	17' 7"	19' 5"	19'	20'	20' 4"				
Overall Length w/Opt. ultraDECK+ Bumper	N/A	N/A	N/A	N/A	N/A	19' 10"	19' 5"	20' 5"	N/A				
Exterior Height (w/Opt. 11M A/C)	9' 2"	8'	8' 9"	8'	8' 6"	9'	9'	9'	9'				
Width (Exterior)	86"	86"	96"	86"	96"	96"	96"	96"	96"				
Height (Interior)	81"	77"	81"	77"	76"	79"	79"	79"	80"				
Cabover Height	3' 2"	2' 9"	3' 5"	2' 9"	3' 2"	3' 5"	3' 5"	3' 5"	3' 8"				
Dry Weight w/Std. Equipment	1639	1837	2844	2011	2445	3330	3290	3596	3923				
Wet Weight w/Std. Equipment	1842	2155	3178	2329	2779	3793	3753	4056	4377				
CG Front	21"	32"	38"	34"	34"	49"	45"	48"	60"				
CG Rear	57"	46"	40"	44"	62"	47"	51"	48"	36"				
Fresh Water, Gallons	22	30	30	30	30	45	45	45	42				
Gray Water, Gallons	15	25	20	14	20	30	30	27	35				
Black Water, Gallons	16	14	25	13	18	26	28	22	35				
Propane Tank (#/Gal) (1 Gauge On	ly) 1/5	1/5	2/5	1/5	2/5	2/5	2/5	2/5	2/7				
Sleeping Capacity, Min/Opt Max.	3/3	4/5	4/5	5/5	5/5	4/4	4/4	4/4	5/6				







Model **825**



Model **855S**

		SHORT BED				LONG BED					
Exterior	650	825	8555	865	820	975	995	1062	1172		
Laminated Fiberglass Bonded Exterior W/Azdel Substrate	•				•	•	•	•			
Lamalux 1500 Fiberglass	•	•		•							
Lamalux 4000 Fiberglass (High Gloss)			•		•	•	•	•	•		
Radius Wrapped Fiberglass Cab-Over Nose		•		•							
One-Piece Formed TPO Cab-Over Front Cap	•		•		•	•	•	•	•		
LanceLock Trusses, Wings and Siderails									,		
LanceLock Lite-Ply Wings and Siderails	•	•	•	•	•						
LanceLock II Basement Truss, Wing and Siderails						•	•	•			
Acme Screw Camper Jacks	•	•		•							
Ball Screw Camper Jacks	0	0		0	•						
Electric Remote Ball Screw Camper Jacks	0	0	•	0	0	•	•	•			
Swing-Out Jack Brackets			0		0	0	0	0			
Aluminum Rear Bumper			•			•	•	•			
Ultra Deck Plus Bumper						0	0	0			
Deluxe Bumper Trim			•			•	•	•			
Fold-Over Step			•			•	•	•			
4 Step Scissor Step	0				0						
Double Step		•		•							
Full View Dual Pane Tinted Windows		•	•	•	•	•	•	•			
Radius Acrylic Tinted Thermopane Euro Windows	•										
Pass-Through Window (Removable)		0	0	0	0	0					
Ladder and Maggie Rack - Anodized		0	•	0	•	•	•	•			
Phat Ladder - Anodized		0	•	0	•	•	•	•			
Folding Sidewall Mounted Ladder											
Roof Rack System		0	0	0	0	0	0	0	-		
LED Tail Lights	•	•	•	•	•	•	•	•			
LED Back-Up Lights	•	•	•	•	•	•	•	•			
LED Running Lights	•	•	•	•	•	•	•	•			
LED License Plate Light W/Holder	•	•	•	•	•	•	•	•			
Radius Cornered Storage Compartment Doors	•	•	•	•	•	•	•	•			
Radius Entry Door W/Window	•	•	•	•	•	•	•	•			
Safety View Window		0		0	0						

Keyless Entry W/Key Fob 0	
Egress Window in Cab-Over Roof Vent in Cab-Over Exit Vent in Cab-Over Heki Skylight Vent in Cab-Over Skylight - Dual Pane Over Galley Exterior Wash Station	•
Roof Vent in Cab-Over • Exit Vent in Cab-Over • Heki Skylight Vent in Cab-Over • 0 • Skylight - Dual Pane Over Galley • • • Exterior Wash Station • • • •	
Exit Vent in Cab-Over • Heki Skylight Vent in Cab-Over • 0 • • Skylight - Dual Pane Over Galley • • • • Exterior Wash Station • • • • •	
Heki Skylight Vent in Cab-Over	
Skylight - Dual Pane Over Galley Exterior Wash Station • • • • • • •	
Exterior Wash Station • • • • • • • • • • • • • • • • • • •	•
	,
Exterior Propane Connection 0 0 0 0 0 0 0 0 0	•
)
Awning Rear Roll-Out 0 0 0 0	
Electric Rear Awning 7'3" W/LED Lighting 0 0 0	
Electric CS Awning 10'-4" W/LED Lighting 0 0 0 0	
Electric CS Awning 12'-0" W/LED Lighting 0	
Electric CS Awning 14'-0" W/LED Lighting)
Awning Slide-Out Cover 0 0 0/2 0/	/2
Swing-Out Entry Assist Handle 0 0 0 0 0 0 0 0)
Construction/Insulation	
One-Piece TPO Roof	•
Laminated, Insulated Floor, Cab-Over Bed and Roof • • • • • • • • • • • • • • • • • •	•
Block Foam Insulation Throughout	•
Aluminum Framed Walls, Floor, Cab-Over Bed & Roof • • • • • • • • • • • • • • • • • •	•
Azdel Interior Walls)
All Weather Package 0 0 0 0 0 0 0)
-Insulated Battery and LP Compartments	
-Insulated Hatch Covers	
-Water Heater Bypass and Winterizing Valve	
-Insulated Bed Pad	
Interior/Decor	
Interior - Palm Springs 0 0 0 0 0 0 0 0)
Interior - Arrowhead 0 0 0 0 0 0 0 0 0)
Interior - Mohave Dunes 0 0 0 0 0 0 0 0 0)

	SHORT BED				LONG BED					
	920	825	8555	965	820	975	995	1062	172	
Hardwood Framed Flat Panel Cabinet Doors W/Glazing	•	•	•	•	•	•	•	•	•	
Hardwood Raised Panel O'Head Cabinet Doors W/Glazing			•		•	•	•	•	•	
Fingertip Positive Catch Cabinet Hardware	•	•	•	•	•	•	•	•	•	
Self-Closing Drawer Guides	•	•	•	•	•	•	•	•	•	
Lite-Ply Cabinet Construction	•	•	•	•	•	•	•	•	•	
Valances W/Lambrequins			•	•	•	•	•	•	•	
Mini-Blinds in Galley		•	•	•	•	•	•	•	•	
Mini-Blinds in Cab-Over		•	•	•	•	•	•	•		
Day/Night Shades W/Black-Out on Cab-Over Windows									•	
Mini-Blinds in Dinette		•	•	•	•	•	•	•		
Day/Night Shades in Dinette									•	
Combo Screen/Shade on Windows	•									
Day/Nite Shades in Cab-Over/Dinette			0		0	0	0	0		
Entry Door Pull Shade	0	0	0	0	0	0	0	0	0	
Removable Carpet Kit	0	0	0	0	0	0	0	0	0	
Hidden Trash Can Compartment						•	•			
Wall Clock	•	•	•	•	•	•	•	•	•	
Key Hanger	•	•	•	•	•	•	•	•	•	
Pull Out Storage Tray								•		
Galley/Appliances & Equipment										
2-Burner Range	•	•		•						
3-Burner High Output Range W/Oven and Cover - 16" Oven			•	0	•	•	•	•	•	
Microwave Convection									0	
Microwave Oven	0	0	0	0	0	0	0	0	0	
Refrigerator (Cu Ft) 3-Way	3	3	5	3	5	6	6	6	6	
Upgraded Refrigerator Door Panels	•	•		•		•	•	•	•	
Furnace BTU	12M	12M	20M	12M	20M	20M	20M	20M	20M	
Range Hood W/Light and Fan		•	•	•	•	•	•		•	
Laminate Galley Top W/Edge Band										











Model **1062**



		SHOF	T BE	D		LC	LONG BED					
	920	825	8558	865	820	975	995	1062	1172			
Molded Galley Top					•	•	•	•	•			
Laminate Counter Tops W/Edge Band	•	•	•	•	•	•	•	•	•			
Backsplash		•	•	•	•	•	•	•	•			
Single Sink	•	•		•								
Double Sink			•		•	•	•	•	•			
Pantry W/Adjustable Shelves				•	•	•	•		•			
Slide-Out Pantry				0	0	0	0		0			
High Spout Galley Faucet	•	•		•	_				_			
Pull-Out Galley Faucet			•		•	•	•	•	•			
Silverware Organizer	•	•	•	•	•		•	•	•			
Sink Cover	0	0	0	0	0	0	0	0	0			
Magazine and Spice Racks - Wood	0	0	0	0	0		0	0	0			
Water Heater - Tankless Water Heater Gas/Electric/DSI Enclosed, Insulated and Heated Holding Tanks	•	•	•	•	•	•	•	•	•			
Bathroom												
Black Tank Flush	•	•	•	•	•	•	•	•	•			
Medicine Cabinet W/Mirror Door			•	•	•		•	•				
Storage Cabinet									•			
otorage oabiliet									_			
Mirror on Bath Door	•		•	•	•	•	•	•	•			
<u> </u>	•	•	•	•	•	•	•	•	•			
Mirror on Bath Door	•	•	•	•	•	•	•	•	•			
Mirror on Bath Door Sliding Bath Door		•	•	•	•	•	•	•	•			
Mirror on Bath Door Sliding Bath Door Hinged Bath Door Towel Rod	•	•	•	•	•	•	•	•	•			
Mirror on Bath Door Sliding Bath Door Hinged Bath Door Towel Rod Skylight - Dual Pane	•	•			•	•		•	•			
Mirror on Bath Door Sliding Bath Door Hinged Bath Door	•		•	•	-	•	•	•	•			
Mirror on Bath Door Sliding Bath Door Hinged Bath Door Towel Rod Skylight - Dual Pane Ducted Heat	•	•	•	•	•	•	•	•	•			
Mirror on Bath Door Sliding Bath Door Hinged Bath Door Towel Rod Skylight - Dual Pane Ducted Heat Removable Clothes Rod	•	•	•	•	•	•	•	•	•			

	SHORT BED				LONG BED							
	650	825	8555	865	820	975	995	1062	1172			
Roll-Out Storage Drawers in Dinette (2)			•			•	•	•	•			
Overhead Cabinet Bunk		0		•	•							
Bunk Bed W/Child Restraint			0						0			
Child Restraint W/Bunk Pad		0		0	0				Ť			
Cab-Over												
Deluxe Queen Innerspring Mattress W/Pillow Top		•	•	•	•	•	•	•	•			
Bedspread	•	•	•	•	•	•	•	•	•			
Headboard			•		•	•	•	•	•			
Bedmaid	0	0	0	0	0	0	0	0	0			
LED Reading Lights	•	•	•	•	•	•	•	•	•			
Open Wire Side Overhead Shelves		•		•								
Privacy Curtain	•	•	•	•	•	•	•	•				
Folding Privacy Door									•			
Ducted Heat			•		•	•	•	•	•			
Carpeted Bed Base	•	•	•	•	•	•	•	•	•			
Front Corner Cabinets, Hamper, Storage Cabinets and O'Heads												
C/S Wardrobe Cabinet W/Window, Hamper and Ent. Cabinet							•	•				
C/S Wardrobe Cabinet W/Window, Hamper and Storage Cabinet						•						
C/S Mirrored Wardrobe Cabinet W/Window									•			
Electrical												
Systems Monitor Panel	•	•	•	•	•	•	•	•	•			
Battery Condition Indicator - LED	•	•	•	•	•	•	•	•	•			
Single Battery	•	•	•	•	•							
Second Battery Compartment			0		0			•	•			
Battery Disconnect - Manual Push/Pull	•	•	•	•	•				•			
Battery Disconnect - Manual Key Operated						•	•	•				
Battery Separator	0	0	0	0	0	0	0	0	0			
EZ Charge Battery Charging Port	•	•	•	•	•							
LED Interior Lighting	•	•	•	•	•	•	•	•	•			

	SHORT BED					LONG BED						
	650	825	8555	865	820	975	995	1062	1172			
Wall Switched Lighting			•		•	•	•	•	•			
LED Wardrobe Light		0	0	0	0			0	0			
12V/USB Outlet in Cab-Over	•	•	•	•	•	•	•	•	•			
12V/USB Outlet in Dinette	0	0	0	0	0	0	0	0	0			
HDMI LCD/Satellite Receiver Receptacle Wall Plate	•	•	•	•	•	•	•	•	•			
Pre-Wired for Roof A/C	•	•	•	•	•	•	•	•	•			
A/C - Coleman 9 Low Profile Ceiling Control	0	0	0	0	0	0	0	0	0			
A/C - Coleman 11 Wall Control			0		0	0	0	0	0			
Pre-Wired for Wall Thermostat		•	•	•	•	•	•	•	•			
Pre-Wired for Fantastic Vent	•	•	•	•	•	•	•	•	•			
Fantastic Roof Vent	0	0	0	0	0	0	0	0	0			
Power Roof Vent in Bath	•	•	•	•	•	•	•	•	•			
Pre-Wired for TV Ant/Sat Dish/Park Cable	•	•	•	•	•	•	•	•	•			
TV Antenna HD	•	•	•	•	•	•	•	•	•			
Satellite Dish		0	0	0	0	0	0	0	0			
Satellite Dish Self Locating		0	0	0	0	0	0	0	0			
AM/FM/DVD/CD/USB Bluetooth Audio System												
W/App Control	•	•	•	•	•	•	•	•	•			
TV 19" (12 Volt)	0	0		0	0							
TV 24" (12 Volt)			0			0	0	0	0			
Pre-Wired for Solar Panel		•	•	•	•	•	•	•	•			
Solar Panel 95 Watt		0	0	0	0	0	0	0	0			
LED Patio Light - Switched	•	•	•	•	•	•	•	•	•			
LED Side Patio Lights	0	0	0	0	0	0	0	0	0			
LED Docking Lights	0	0	0	0	0	0	0	0	0			
Wireless Remote Slide-Out Control			•			•	•	•	•			
Exterior 110V Patio Outlet	•	•	•	•	•	•	•	•	•			
Generator Ready			•			•	•	•	•			
Automatic Transfer Switch (Generator)			•			•	•	•	•			
Generator 2500 Watt LPG (Onan)			0			0	0	0	0			
Backup Camera W/Truck Cab Wireless Monitor	0	0	0	0	0	0	0	0	0			

• = Standard Option 0 = Optional Feature





























From left to right: 12v/USB
Charger, Remote Charge Port,
Battery Separator, 95W Solar Panel,
2500W LP Generator, Converter w/Built in
Battery Charger, Solar Panel Charge Monitor Panel













Convenience Features:

From left to right: Keyless Entry w/Key Fob, Remote Control Jacks & Slide Room, Backup Camera, Pull Out Dinette Storage Drawers, ultraDECKplus Bumper, Exterior Propane Connectioin, Electric Rear Awning, Bed Maid System, AM/FM/DVD/CD/USB Bluetooth Audio System w/App Control, Fold Down Bunk, Skylight Shade & Insulated Cover, Heike Dual Pane Vent

Exterior Highlights:

From left to right: Aerodynamic TPO Front Nose Cap, Full View Dual Pane Tinted Windows, Roof Rack System, Automatic Satellite Dish









When towing behind a larger camper, extending the hitch rearward is necessary. Lance recommends the Torklift SuperHitch receiver hitch and hitch box extension. It replaces standard truck factory receivers to allow for greater towing capacities.*

*Always observe your trucks' tow ratings. Follow the advice of your Factory Authorized Lance Dealer.

WEIGHT CARRYING/ TONGUE WEIGHT WEIGHT DISTRIBUTION TONGUE WEIGHT

TOW CAPACITIES (IN POUNDS) FOR THE LANCE MODEL REQUIRING ONLY A TORKLIFT SUPERHITCH MAGNUM RECEIVER HITCH

15,000/1500

20,000/2000

TOW CAPACITIES (IN POUNDS) FOR LANCE MODELS
REQUIRING BOTH A TORKLIFT SUPERHITCH
MAGNUM RECEIVER HITCH AND
HITCH BOX EXTENSION

Dealer modifications required. Consult your Factory Authorized Lance Dealer for professional technical advice and proper equipment installation.

32" extension	6,500 /650	12,000 /1200
42" or 48" extension	6,000 /600	12,000 /1200
60" extension	5,000 /500	10,000 /1000

DEALER+INSTALLED+SUPPORT EQUIPMENT

- 1 Torklift SuperHitch Extension System increases your towing capabilities over your trucks' factory-stock hitch
- 2 Wireless Rear-View Camera/Microphone and 7-Inch In-Cab LCD Monitor lets you see and hear what's behind you
- 3 Frame-Mount Anchoring System and Front-Mounted Centering Guides assist center alignment in the truck bed (Happijac® shown)
- 4 Qwik-Load™ Front and Rear Turnbuckles safely and securely attach and anchor the camper to your truck (Happijac® shown)
- 6 Hellwig Air Springs ("air bags") provide better handling and control under heavily loaded conditions
- 6 Rancho® RS-9000X™ Front and Rear Shocks greatly improve ride in all weather and road conditions
- In-Cab Remote Control controls the air compressor and pressure for the air springs ("air bags")
- B Lance Custom Design™ Cab-Over Shocks ("cab-over struts") reduce the impact of up-and-down motion from irregular roads
- 9 Rear-Mounted Centering Guides assist in positioning your camper within the truck bed, and are available for most truck models
- 10 Hellwig Big Wig™ Sway Bars reduce body roll providing better vehicle control

You have a choice of tie-down systems

your camper a snap

(Happijac® shown)



Wireless Rear-View


camera/monitor maximizes safety





HEAT IT LIKE YOU MEAN IT!

INDUSTRY EXCLUSIVE DUCTED SYSTEM FOR OPTIMAL HEAT DISTRIBUTION



LANCE DESIGN AND CONSTRUCTION. THE LEGACY OF QUALITY BEGINS HERE.



Utilize your truck camper all year long. Remain comfortable in extreme heat

or cold temperatures with the Lance Four Seasons Certified option.

KEY SUPPLIER PARTNERS





Graphics



Refrigerators





Generators





Audio Systems



Toilets











Please see lancecamper.com/warranty for details.

Truck+Camper Compatibility Guide

IMPORT FULL-SIZED SHORT BEDS

Nissan® Titan™/Toyota® Tundra™

Lance 650 5'+ short beds

Lance **825** Lance 865 6'+ short heds

The Lance Owners of America is an organization of

people that all share some common interests. We

all love traveling and camping in our Lance Truck

Campers, Travel Trailers and Toy Haulers. We

would like to invite you to explore our website and

Consider becoming a member of the Lance Owners

of America. Our goal is to provide the Lance Owner



LIGHT-DUTY F-150/1500 SERIES

(or larger)

HEAVY-DUTY F-350/3500 SERIES

(or larger) Single-rear-wheel 8' long beds

Lance 650 5'+ short beds

Lance 825 Lance 865 6'+ short heds

Lance **850**

Lance 975

Lance 995

Lance 1062



HEAVY-DUTY F-250/2500 SERIES

(or larger) 6' short beds

Lance 650 Lance **825**

Lance 865 Lance 855S



Short hed - Minimum six-foot

HEAVY-DUTY F-350/3500 SERIES

(or larger) Dual-rear-wheel 8' long beds

Lance 850 Lance 975 Lance **995** Lance 1062 Lance 1172



HEAVY-DUTY F-250/2500 SERIES

(or larger) Single-rear-wheel 8' long beds

Lance 850



of passengers and all other items you carry in your truck and camper. Because we're unfamiliar with your

> representation - express or implied - as to performance or reliability of your truck with a Lance camper. For professional guidance, always consult with your Factory Authorized Lance

These are general guidelines to use

when matching a Lance camper to

your truck and assumes standard

equipment on both the truck and

camper. Whether any camper can

be used with your truck is dependent

on your truck configuration (2WD vs.

4WD, standard cab vs. extended cab.

etc.) and its capacities for carrying

and /or towing - how much optional

specific truck and how you intend to

use it. Lance makes no warranties or

equipment is added to the camper

- what you tow - and the weight

Dealer. They're trained in properly matching truck/camper rigs.

FREE with

community with valuable information and events to help make your Lance camping experience à great purchase of your new Lance! Get the safety

and convenience you need when

your on the road. Your membership covers you, a spouse or significant other,

and children age 24 or younger, licensed to drive

your RV or other vehicles owned. Membership includes emergency roadside assistance and concierge service that you

can use both on and off the road.



EXCLUSIVE ROADSIDE ASSISTANCE

2016 LANCE TRUCK CAMPER BROCHURE @2015 Lance Camper Mfg. Corp. (LCMC). All rights reserved. Lance, the Lance logomark, the Lance logomark with chevron, The Lance Look, Lance Custom Design, Bed-Maid, LanceLock, ultraDECKplus, Discover The Lance Difference, SkyView and other exclusive Lance product names, marks or designations are trademarks, service marks or registered trademarks of LCMC. All other marks are property of their respective owners. All product data, graphics and photography, illustrations and/or renderings in this book were as accurate as possible

at press time. Subsequent refinements during the model year may be evident in the actual product. LCMC reserves the right to change prices, colors, materials, equipment and specifications without notice - as well as to add, modify or discontinue models shown in promotion materials and/or on its websites. All weights, fuel and liquid capacities are approximate and dimensions are nominal. It is that owner's sole responsibility to select the proper Lance camper model and support equipment appropriate to their truck without exceeding safe weight operating capacities. Your Factory Authorized Lance Dealer can advise you of the operating parameters for your particular configuration, and can confirm prices and product specifications material prior to making your purchase decision. See website for full warranty information. Brochure printed in the USA on FSM paper. 40M. 0116. Rev1.

Click on the QR code and "Discover The Lance Difference" for yoursel while taking a plant tour of



