



Generations of family fun.

NORTH  
POINT™



**2**  
YEAR  
WARRANTY





# #LETSJAYCO

Where do you want to go? With Jayco, you're headed straight for family fun—regardless of the destination. From wooded campgrounds to sandy beaches, swimming hole docks to scenic byways, maximize the moment with unmatched quality and added comfort. So what are you waiting for? Make new memories—and share them with the world.

## GENERATIONS OF FAMILY FUN

### MORE THAN 40 YEARS OF ENGINEERING, LISTENING, LEARNING AND EVOLVING

Jayco has been building fifth wheels for nearly a half-century—and Luxury Fifth Wheels for almost 30 years.



### ENGINEERED AND CRAFTED FOR LUXURY RVING



### ★ An Award-Winning Lineup

Jayco has been awarded the prestigious RVDA DSI Quality Circle Award for nine years running, winning over 75 awards across all of its product lines. The award, based on a survey of hundreds of RV dealers in the U.S. and Canada, takes into account product quality, value, service/support and more.

15 years of engineering and development experiences led us into the Luxury Fifth Wheel market.

Nearly three decades of happy, satisfied Jayco Luxury Fifth Wheel customers.



**1972** Jayco introduces its first fifth wheel, the Wonderland

**1987** Jayco introduces its first Luxury Fifth Wheel, the Designer

**2006** Jayco fifth wheels win a DSI award—and we've won it every year since

**2009** Engineering breakthroughs: Jayco introduces a drop-frame design and wide-stance landing gear

**2011** Jayco introduces the Pinnacle line, which raises the bar in the Luxury Fifth Wheel market

**2014** Jayco debuts the 375BHFS Eagle Premier, a SuperSlide bunk model that overtakes the luxury market

**2016** The North Point line is born, and the Designer is reborn—raising the bar again in the luxury market

# NORTH POINT

## LIVE THE LEGACY

When Jayco founder Lloyd Bontrager set out to build a better camping trailer nearly 50 years ago, he probably couldn't have imagined the lavish craftsmanship, awe-inspiring floorplans and stunning residential amenities we'd accomplish years later. Today, his legacy of excellence lives on—with Luxury Fifth Wheels that are as plush as they come.



1



2



3



1



4



5



6



2



7



8



9



3

## INDULGE AND IMPRESS

Premium features come standard, thanks to our Luxury Fifth Wheel and North Point Advantage packages. They're the apex of towable comfort—where opulence meets unbeatable value. Now that's an indulgence you can feel good about.

### Luxury Fifth Wheel Package:

- [6-point electric auto-leveling system \(1\)](#)
- [Carefree® power awning with Flex Guard fabric shield and LED light strip \(2\)](#)
- [Magnum Truss™ XL6 Roof System \(3\)](#)
- [Helix Cooling System with Whisper Quiet technology \(4\)](#)
- [Full-timer kitchen storage \(5\)](#)
- [Indoor/outdoor central vacuum system with kick pan \(6\)](#)
- [Magnum Frame System \(7\)](#)
- [Quad-tread aluminum entrance steps \(8\)](#)
- [Franklin™ American-made residential furniture \(9\)](#)

- [Backup camera prep](#)
- [Bluetooth®/HDMI® high-output entertainment system](#)
- [Cargo accessory receiver](#)
- [Electric, thermostat-controlled fireplace](#)
- [Keyless main entrance door](#)
- [LED exterior lighting](#)
- [MOR/ryde® pin box](#)
- [Oversized battery compartment](#)
- [Painted gelcoat fiberglass front cap](#)
- [Power kitchen vent with wall controls](#)
- [Sidewall- and roof-mounted solar prep](#)
- [Whole coach water purification system](#)

### North Point Advantage Package:

- [High-gloss, hand-rubbed, maple hardwood cabinet doors \(1\)](#)
- [MOR/ryde CRE3000™ rubberized suspension system \(2\)](#)
- [Big-screen LED HDTVs in living areas \(3\)](#)
- [32-inch LED HDTV with integrated DVD player in bedroom](#)
- [High-gloss, premium fiberglass exterior](#)
- [Single-roller MCD® blackout shades throughout](#)
- [Remote control system for levelers, awnings, slideout rooms and exterior lights](#)
- [Jayco Luxury Sleep System with Simmons® residential foam mattress](#)



377RLBH | CEDAR



377RLBH BUNKROOM DESK AREA



377RLBH HIDE-A-BED



377RLBH TV



387RDFS GOOSENECK STORAGE AREA



377RLBH KITCHEN



387RDFS | ASHWOOD

**NORTH POINT | 301RETS**

Ext. Lgth: 38' 2" Ext. Ht: 160"  
Unloaded Wt. (lbs.): 12,020 Sleeps: 3-4

**NORTH POINT | 311RKTS**

Ext. Lgth: 38' 5" Ext. Ht: 158"  
Unloaded Wt. (lbs.): 12,265 Sleeps: 4-5

**NORTH POINT | 315RLTS**


Ext. Lgth: 38' 9" Ext. Ht: 159"  
Unloaded Wt. (lbs.): 11,910 Sleeps: 4

**NORTH POINT | 351RSQS**

Ext. Lgth: 42' 3" Ext. Ht: 158"  
Unloaded Wt. (lbs.): 12,870 Sleeps: 3-4

**NORTH POINT | 375BHFS**

Ext. Lgth: 43' 3" Ext. Ht: 160"  
Unloaded Wt. (lbs.): 13,740 Sleeps: 8-11

**NORTH POINT | 377RLBH**

Ext. Lgth: 42' 7" Ext. Ht: 158"  
Unloaded Wt. (lbs.): 13,305 Sleeps: 9

**NORTH POINT | 379DBFS**

Ext. Lgth: 43' 6" Ext. Ht: 159"  
Unloaded Wt. (lbs.): 14,200 Sleeps: 8-9

**NORTH POINT | 381DLQS**

Ext. Lgth: 41' 4" Ext. Ht: 158"  
Unloaded Wt. (lbs.): 13,085 Sleeps: 4

**NORTH POINT | 383FLFS**

Ext. Lgth: 43' 8" Ext. Ht: 157"  
Unloaded Wt. (lbs.): 12,765 Sleeps: 4-5

**NORTH POINT | 387RDFS**

Ext. Lgth: 43' 7" Ext. Ht: 160"  
Unloaded Wt. (lbs.): 13,415 Sleeps: 5-6

## SPECS

| MODELS  | DIMENSIONS |                       |                         |                |                            |   | WEIGHT (LBS.)                |                         |                  |                             | TANKS (GALS.)           |  |                             |                            |
|---------|------------|-----------------------|-------------------------|----------------|----------------------------|---|------------------------------|-------------------------|------------------|-----------------------------|-------------------------|--|-----------------------------|----------------------------|
|         | FLOORPLAN  | TOTAL EXTERIOR LENGTH | EXTERIOR TRAVEL LENGTH* | EXTERIOR WIDTH | EXTERIOR HEIGHT (WITH A/C) | EXTERIOR HEIGHT (WITH OPT. BEDROOM A/C) | INTERIOR HEIGHT (UPPER DECK) | UNLOADED VEHICLE WEIGHT | DRY HITCH WEIGHT | GROSS VEHICLE WEIGHT RATING | CARGO CARRYING CAPACITY | FRESH WATER CAPACITY (INCLUDES WATER HEATER) | GREY WASTE WATER CAPACITY** | BLACK WASTE WATER CAPACITY |
| 301RETS |            | 38' 2"                | 36' 8"                  | 96"            | 160"                       | 160"                                    | 83"                          | 12,020                  | 2,565            | 15,250                      | 3,230                   | 85   | 87                          | 50                         |
| 311RKTS |            | 38' 5"                | 36' 11"                 | 96"            | 158"                       | 159"                                    | 83"                          | 12,265                  | 2,320            | 15,250                      | 2,895                   | 85   | 95                          | 50                         |
| 315RLTS |            | 38' 9"                | 37' 3"                  | 96"            | 159"                       | 159"                                    | 82"                          | 11,910                  | 2,560            | 15,250                      | 3,340                   | 85   | 87                          | 50                         |
| 351RSQS |            | 42' 3"                | 40' 9"                  | 96"            | 158"                       | 158"                                    | 82"                          | 12,870                  | 2,555            | 15,995                      | 3,125                   | 85   | 95                          | 50                         |
| 375BHFS |            | 43' 3"                | 41' 10"                 | 96"            | 160"                       | 160"                                    | 82"                          | 13,740                  | 2,790            | 16,500                      | 2,460                   | 85   | 93                          | 94**                       |
| 377RLBH |            | 42' 7"                | 41' 0"                  | 96"            | 158"                       | 160"                                    | 82"                          | 13,305                  | 2,920            | 16,500                      | 3,195                   | 85   | 85                          | 50                         |
| 379DBFS |            | 43' 6"                | 42' 0"                  | 96"            | 159"                       | 160"                                    | 82"                          | 14,200                  | 2,630            | 16,995                      | 2,795                   | 85   | 137                         | 100**                      |
| 381DLQS |            | 41' 4"                | 39' 10"                 | 96"            | 158"                       | 158"                                    | 82"                          | 13,085                  | 2,845            | 16,500                      | 3,415                   | 85   | 87                          | 50                         |
| 383FLFS |            | 43' 8"                | 42' 2"                  | 96"            | 157"                       | 160"                                    | 104"                         | 12,765                  | 2,710            | 16,500                      | 3,735                   | 85   | 70                          | 44                         |
| 387RDFS |            | 43' 7"                | 42' 2"                  | 96"            | 160"                       | 160"                                    | 82"                          | 13,415                  | 2,665            | 16,500                      | 3,085                   | 85   | 87                          | 50                         |

\*Distance from the pin box to the bumper; total exterior length may be longer. \*\*Split Tank

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart on the next page.

**Unloaded Vehicle Weight (UWV):** Sometimes referred to as "Dry Weight," UWV means the typical weight of this trailer as built at the factory. The UWV, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

**Gross Vehicle Weight Rating (GVWR):** GVWR means the maximum permissible weight of the trailer, including the UWV plus passengers, personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UWV and the CCC.

**Cargo Carrying Capacity (CCC):** CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UWV. The addition of options will decrease the CCC.

**Hitch Weight (HW):** The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

## STANDARDS AND OPTIONS

### LUXURY FIFTH WHEEL PACKAGE (mandatory)

6-point electric auto-leveling system  
 Backup camera/monitoring system prep  
 Carefree® power awning with Flex Guard fabric shield and LED light strip  
 Indoor/outdoor central vacuum system with kick pan  
 Franklin™ American-made residential furniture  
 12-inch Magnum Frame System  
 Magnum Truss™ XL6 Roof System  
 Helix Cooling System featuring a Jayco-exclusive duct design, exterior-mounted A/C units, directional/closable A/C vents, and larger return air vents with user accessible filters  
 Quad-tread aluminum entrance steps  
 Bluetooth®/HDMI® high-output entertainment system  
 Cargo accessory receiver  
 Electric, thermostat-controlled fireplace  
 Keyless main entrance door  
 LED exterior lighting  
 MOR/ryde® pin box  
 Oversized battery compartment  
 Fully painted and clear-coated front cap  
 Power kitchen vent with wall controls and rain sensor  
 Sidewall- and roof-mounted solar prep  
 Whole-coach water purification system  
 Full-timer kitchen storage system

### NORTH POINT ADVANTAGE PACKAGE (mandatory)

Big-screen LED HDTVs in living areas  
 32-inch LED HDTV with integrated DVD player in bedroom  
 High-gloss, hand-rubbed, maple hardwood cabinet doors  
 High-gloss, premium fiberglass exterior  
 MOR/ryde CRE3000™ rubberized suspension system  
 Single-roller blackout shades throughout  
 Remote control system for levelers, awnings, slideout rooms and exterior lights  
 Jayco Luxury Sleep System with 80-inch Simmons® residential foam-top mattress

### CUSTOMER VALUE PACKAGE (mandatory)

15,000-BTU central A/C  
 Arched interior ceiling with 82-inch upper deck interior height  
 Bath skylight  
 Bathroom power vent  
 Bedspread  
 Under-bed floor safe  
 Oversized folding exterior grab handle  
 Frameless G20 dark-tinted windows  
 LED interior lighting  
 Security lights  
 Slam-latch™ baggage doors with strut assist  
 Sofa and bed pillows  
 Solid-surface kitchen countertops  
 Keyed-Alike™ exterior doors locking system

### STANDARD EXTERIOR EQUIPMENT

TuffShell™ vacuum-bonded, laminated walls  
 Aerodynamic front cap with LED lighting  
 Seamless composite roof covering  
 Climate Shield™:  
 • Enclosed, insulated, heated underbelly  
 • High-BTU-output furnace (40,000-BTU)  
 • Astro-Foil™ in roof and floors  
 12-inch I-class cambered, structural I-beams  
 Completely enclosed and protected slideout mechanisms  
 30-inch x 72-inch entry door with oversized window  
 Screen door with kick panel  
 Convenience outlet located on front awning arm  
 7,000-pound axles  
 Wide-stance front landing gear  
 Exterior kitchen with 32-inch LED TV, sink, refrigerator and cooktop range (311RKTS, 351RSQS, 375BHFS)  
 Exterior kitchenette with refrigerator and cooktop range (377RLBH, 381DLQS)  
 Enclosed, protected basement drop-frame  
 Stor-Galore™ pass-through basement storage  
 Cable TV/110V outlets in basement  
 Exterior marine-grade speakers (2)  
 Convenient dual propane compartment (60-pound capacity) on roadside  
 Door-side compartment framed and vented for third propane bottle

Heated, enclosed Uni-Dock™ utility center  
 50-amp service with detachable power cord  
 40,000-BTU furnace (minimum)  
 75-gallon fresh water tank  
 70-gallon grey tank capacity (minimum)  
 44-gallon black tank capacity (minimum)  
 Cable/satellite TV prep  
 No-crank digital HDTV antenna  
 Under-mounted spare tire  
 Outside grill prep  
 Roof ladder  
 Hitch light  
 All exterior lighting is LED  
 Upper deck slideout room convenience light  
 EZ-Cord™ cargo area extension cord access port

### STANDARD INTERIOR EQUIPMENT

Raised-panel cabinetry with screwed construction and hidden hinges  
 Steel ball-bearing drawer guides, 75-pound capacity, full extension  
 Hardwood slideout fascia  
 Large, split, under-mount stainless steel sink with sink covers  
 Pullout kitchen faucet with sprayer  
 Water heater bypass  
 12-cubic-foot Norcold® gas/electric refrigerator  
 Oversized 21-inch oven with 3-burner cooktop and range cover  
 Stainless steel, 30-inch, residential, over-the-range microwave  
 USB charging centers in living areas, kitchen and bedrooms  
 Residential-grade wood-plank vinyl flooring  
 Shaw® R2X stain-resistant residential carpeting  
 Freestanding table with 2 dinette chairs and 2 folding chairs (optional on 375BHFS)  
 90-amp power center with Charge Wizard®  
 Backlit command center for switches  
 Floor-level convenience light switch for safe entry  
 Night-light toe kick lighting in bedroom, bathroom and kitchen  
 Ceiling fan (n/a on 383FLFS, 387RDFS)  
 Kitchen ceiling mantle  
 Closeable and directional A/C vents  
 Prep for second A/C – prewired and tied into ducting  
 Prep for third A/C (383FLFS, 387RDFS)  
 Tri-fold hide-a-bed sofas with ottoman (bi-fold sofa in 375BHFS, 379DBFS)  
 Reclining theater seat sofas (n/a on 375BHFS)  
 2 recliners (375BHFS)


One-piece, fiberglass shower with glass doors  
 Porcelain bath stool with foot flush  
 Utility hooks in bathroom  
 Full-trunk, under-bed storage  
 Walk-in-style front closet with dual hanging rods  
 Washer/dryer prep (accommodates stackable unit)  
 Oversized bedroom dresser storage  
 Bedroom slide fascia built-in nightstand storage system (n/a on 383FLFS)

### OPTIONS

Customer Value Package with heat pump  
 King bed (n/a on 375BHFS)  
 Bunk beds with trundle bed in off-door bunkroom slide (375BHFS)  
 Bunk beds with hide-a-bed in off-door bunkroom slide (375BHFS; std. on 377RLBH, 379DBFS)  
 Stainless steel convection microwave with oven  
 Carpet in living area (n/a on 375BHFS, 379DBFS, 383FLFS)  
 Freestanding table with 2 dinette chairs and 2 folding chairs (375BHFS, 379DBFS)  
 Goodyear® tires (mandatory)  
 Goodyear G-rated tires  
 Reclining main sofa (301RETS, 315RLTS, 351RSQS, 377RLBH, 381DLQS, 387RDFS)  
 2 recliner rockers in lieu of theater seats (377RLBH, 381DLQS)  
 23-cubic-foot residential refrigerator with 1,000-watt inverter  
 Wireless backup camera/monitoring system  
 39-inch tailgate TV on sliding mounting bracket (select models)  
 Second 15,000-BTU A/C (low-profile) in bedroom, tied into dual-duct system  
 Third 15,000-BTU A/C (low-profile) in living room (383FLFS, 387RDFS)  
 Manual 50-amp cord reel  
 Generator prep  
 5,500-watt generator  
 Thermal pane, tinted, safety-glass windows  
 Second power awning with Flex Guard fabric shield (n/a on 375BHFS, 379DBFS, 383FLFS)  
 3 slideout awnings (301RETS, 311RKTS, 315RLTS, 351RSQS)  
 4 slideout awnings (377RLBH, 381DLQS)  
 5 slideout awnings (375BHFS, 379DBFS, 383FLFS, 387RDFS)  
 Outside gas grill  
 MOR/ryde cargo storage tray  
 On-demand tankless water heater system  
 Sani-Con® sewer macerator pump system

## INTERIOR DÉCOR

### DARK MAPLE




SOFA/CHAIR MAIN ACCENT LINOLEUM CARPET

### CEDAR




SOFA/CHAIR MAIN ACCENT LINOLEUM CARPET

### COTTONWOOD



SOFA/CHAIR MAIN ACCENT LINOLEUM CARPET

### ASHWOOD



SOFA/CHAIR MAIN ACCENT LINOLEUM CARPET



## MAKING MEMORIES THAT LAST GENERATIONS—LET'S JAYCO

Whether you're out for excitement, relaxation or just time together, we take steps others don't to help you stay focused on the fun. No cutting corners here. Let us go the extra mile so you don't have to.



JAYCO'S ROOF **vs** OTHER ROOFS



4,500 POUNDS ON A JAYCO ROOF VS. OTHER ROOFS  
**THE MAGNUM TRUSS XL6 ROOF SYSTEM**  
**50 percent stronger**



## CLIMATE SHIELD

Extend your camping season with the Jayco Climate Shield™. It protects against extreme heat and extreme freezing—even in temperatures as high as 100 degrees or as low as zero degrees (Fahrenheit).\*


\*Jayco tested fifth wheels in zero degrees F and 100 degrees F weather over an extended period of time in a controlled environment, and all functions of the coach were fully operational. Testing was done in a completely controlled environment; therefore, temperatures during testing may not represent actual temperatures in nature and cannot account for elements such as wind or moisture. In actual use, unit may not perform as well. Supplier of cooling components does not guarantee anything better than 20 degrees difference from ambient temperature. In addition, outside components are subject to freezing and require steps to properly insulate. Jayco's limited warranty does not cover damage caused by freezing. To learn more about Climate Shield and testing done by Jayco, visit [www.jayco.com](http://www.jayco.com).

## THE JAYCO DIFFERENCE

- Vacuum-bonded walls and high-gloss, premium fiberglass exteriors** for better protection from the elements
- Magnum Truss™ XL6 Roof System** withstands 4,500 pounds—50 percent more than other roofs
- Welded aluminum frame** for a durable, lightweight structure
- Double layer of fiberglass insulation** behind the front cap, plus Flexfoil® and fiberglass insulation in the floor to provide extra warmth where it's needed most—in the bedroom
- Painted gelcoat fiberglass front cap** withstands the rigors of the road with infused paint and gel coating, plus ¼-inch plywood bracing for additional support—not typically found on competing fifth wheels
- MOR/ryde® CRE3000™ rubberized suspension system** provides smoother towing and better protection from damaging road shock
- Helix Cooling System with Whisper Quiet technology**
- 6-point electric leveling system**
- Carefree® power awning** with Flex Guard fabric shield
- Quad-tread aluminum entrance steps**
- Keyless main entrance door**
- Cargo accessory receiver**
- Sidewall- and roof-mounted solar prep**
- Magnum Frame System**
- MOR/ryde pin box**



Meet your Jayco Dealer



We work hard—so you can play hard. From finding the perfect Jayco for your family to providing flexible financing options and full-service support, we're here to help.

Follow Jayco



Jayco, Inc., P.O. Box 460, Middlebury, IN 46540, [www.jayco.com](http://www.jayco.com) See dealer for further information and prices. All information in this brochure is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photos in this brochure may show optional equipment and props for photography purposes. RVs built for sale in Canada may differ to conform to Canadian codes. ©2017 Jayco, Inc. 274739-2 0217-10K Printed in U.S.A.

## Travel with Confidence



At Jayco, we build our RVs to handle every adventure, then back it with our industry-leading 2-year limited warranty. We, with support from our select partners, have you covered for **2 camping seasons**. That's **730 days**. You won't find a better warranty in the business, because the only strings we attach are those that deliver the ultimate in reliability. That's the Jayco difference. So go explore. We have the warranty that will follow you anywhere. For a copy of our 2-year limited warranty with complete terms and conditions, please contact your local Jayco dealer.

## eco advantage™

Jayco's long-term commitment to generations of family fun

After five years of increased efforts to eliminate waste, conserve energy and increase recycling, we've come a long way in building RVs that are not only better for your family—but also better for the planet.

Learn more at [Jayco.com/EcoAdvantage](http://Jayco.com/EcoAdvantage)