



(Invisible Liveables)

More Americans buy Jay Flight travel trailers and fifth wheels than any other brand. You simply get more for your money ... and that includes build quality!


















- (Left) End view of Jayco's I-Class[™] structural steel chassis frame.
 (Right) End view of the welded I-beam frame used by many competitors that is subject to warping.
- 2. Jake Plate™ adjustable axle hanger plates allow you to adjust the height of your fifth wheel up to 2 inches for more level towing.
- 3. Jay Flight's EZ Lube axles with removable caps make maintenance a snap.
- 4. With the push of a button, Jayco's V-Tec[™] flush-floor slideout systems increase your living space.
- 5. The RVQ, Jayco's optional portable gas grill, attaches in a snap whenever your family is ready for a cookout.
- 6. All models come equipped with an outside shower, making it a breeze to rinse off after fishing or hiking and keeping the inside of your Jay Flight clean.
- 7. Large, lockable storage compartments keep bulky outdoor equipment close at hand but out of sight, and keep your living space clutter-free. The pass-through design permits easy access to the items from either side.
- 8. 0.024" aluminum siding

- 9. ¹/₈" luan board
- 10. Bead-foam insulation in sidewalls and floors (R7 in sidewalls, R9 in floors)
- 11. 2" wall studs on 16" centers
- 12. Seamless one-piece rubber roof
- 13. Roof rafters, constructed of residential-style tapered 4½" trusses
- 14.2"x 3" Floor Stringers on 16" centers
- 15. Jayco's I-Class™ structural steel chassis frame
- 16.5/8" plywood
- 17. Carpet pad for enhanced durability and comfort
- 18. Attractive, easy-care carpet
- 19. The optional diamond-plate front panel adds more protection as well as a an impressive element to your Jay Flight's exterior.

- 20. The sturdy gas bottle cover, made of molded ABS, offers protection from road debris.
- 21. Carefree® patio awning
- 22. Electro Galvanized (EGS) metal backing strips
- 23. Welded tubular-aluminum sidewall framework
- 24.Insulated, foam air conditioning duct
- 25. Enclosed, insulated and heated underbelly
- 26. Unitized, 11/2" laminated construction of floor
- 27. TuffShell™ vacuum-bond laminated sidewalls offer a durable and lighter weight construction.
- 28. Electric-powered front jacks and snap jacks come standard on all Jay Flight fifth wheels.
- 29. 3/8" plywood roof decking
- 30. R-7 fiberglass insulation







Desirable Liveables.

The inviting interiors of Jay Flight travel trailers and fifth wheels are easy to live in and easy to enjoy. They feature beautifully crafted cabinetry and furniture, plenty of thoughtfully designed and placed storage, and decorative accents to enhance the style.

















- Jayco's unique window valances with wood appliqués add distinctive charm to the TV viewing area. The entertainment center comes complete with a home theater system with Dolby™ Digital 5.1 Surround Sound and DVD/CD player (included in the Customer Value Package).
- Manchester Oak cabinetry in the kitchen is crafted with easy-slide drawers and a handy spice rack. Busy cooks will also appreciate the high-rise faucet and generous counter space.
- Little touches make the bathroom a refreshing change from the ordinary, like shelves in the shower, a removable showerhead, and a large sink surrounded by storage.
- 4. The residential-quality J-Steel™ convertible sofa combines versatility with incredible comfort. In an instant, it transforms from a sofa for two to a comfortable sleeping space.
- From dressing in the morning to relaxing in the evening, the bedroom with adjoining bathroom is built to make each day easier. It features a 312-coil innerspring mattress, ample storage, and a bookshelf headboard. (fifth wheels only)

- The hardwood silverware drawer includes builtin dividers to keep the contents neat and organized.
- Below the cozy and comfortable dinette seats are storage drawers perfect for table settings, board games, or other odds and ends. (fifth wheels only)
- There's a place for all your travel essentials inside these roomy closets and drawers. To make the large cupboard even more convenient, we gave it access from both the kitchen and bedroom.
- Attic fan: The powered attic fan in the bathroom improves ventilation. (Included in the Customer Value Package.)
- 10. 360-degree rotating adjustable vent: Stay cool in the summer with the 13,500 or 15,000 BTU central A/C in the Customer Value Package and standard adjustable full closure vents.
- Overhead cabinets with mirrored inserts provide out-of-the-way storage as well as stylish flair above the sofa area.







Measurable Liveables.

Standard Interior Equipment	Fifth Ti Wheel Tr
Cable TV hookup w/RG6 coax cabling	1.
Carpeting w/padding	✓,
Crank-up antenna for TV w/signal booster	· //·
Decorative nickel lighting over sofa and dinette	· / ·
Fabric-covered box valances w/lambrequin legs	· //•
Hardwood message center (select models) ☐ J-Steel [™] convertible sofa	· //
Overhead cabinetry in slideout room	
Pleated night shades	
Residential furniture, designed and made by Jayco	
Roof-mounted antenna for radio	
Swivel rocker(s) (1 or 2 on select models)	✓,
Wallpaper border	√ •
Standard Bathroom Equipment	
Bar and towel ring	1.
Marine toilet w/foot flush	
Toilet paper holder	
Large sink in bathroom	· .
Medicine cabinet w/mirror	✓,
Residential 6-panel passage door	✓.
Shower curtain with curved shower track	✓.
Vinyl flooring	✓,
Standard Bedroom Equipment	
312 coil innerspring mattress w/bed struts	✓,
Bi-fold privacy door (select models)	√ .
Carpeting w/padding	' ✓.
TV shelf	· •
Under bed storage, bed lifts easily on gas struts	✓,
Standard Exterior Equipment	
15" radial tires	✓.
Baggage doors are lockable and radius-cornered	
···/b	

w/heavy-duty grab handle

Bumper w/drain hose carrier and end caps Chrome hub caps

Double retractable entrance step (triple step on SuperSlide[™] Models)

Durable TPO fender skirts Electric-powered front jacks E-Z Lube® axles

Front jacks with quick release pins

Front window w/flush-mounted stone guard (select models) Galvanized steel wheel wells (insulated on non-slide

Heavy-duty grab handle for entry assistance

Painted bottom radius skirting Patio light w/inside switch

Propane gas bottle cover, made of molded ABS

Radius-cornered fiberglass entrance door w/screen door 🗸 🗸 Rain guttering, molded w/drip spouts

Stabilizer jacks on rear (1 pair) Stabilizer jacks (2 pair)

Tinted, white, radius-cornered awning-style windows 🗸 🗸

Standard Construction Features

.024" aluminum exterior skin ½" plywood dinette, bed and bunk platforms 5%" tongue & groove plywood main floor decking 2" x 3" longitudinal floor joists on 16"-18" centers 81" living room ceiling height Aerodynamic wrap around front fiberglass cap Bead-foam insulation in sidewalls (R-7) and floor (R-9) ✓ Cambered structural steel I-Beam frame Electric-powered slideout (all slideout models) Enclosed, insulated and heated underbelly FRP smooth fiberglass sidewall exteriors Fully decked roof with 3/8" plywood Pin box, long PolvFlex™ one-piece underbelly covering R-7 fiberglass insulation in roof Roof rafters, constructed of residential style tapered 4-1/2" trusses Seamless one-piece rubber roof (made of TPO)

TuffShell™ vacuum-bonded laminated sidewalls

Unitized, 1-1/2" laminated construction of floor

11

Welded tubular-aluminum sidewall framework Wall studs on 16" centers

Standard Heat, Power and Water Equipment

6-gal. gas/electric DSI auto-ignition water heater 12V demand water pump

12V electrical system with deluxe 110V 45-amp power converter

30-amp. power cord

110V G.F.C.I. protected exterior receptacle

ABS holding tanks A/C chill arill

Auto-ignition furnace w/ wall thermostat

Ducted heat

Hook-up for city water In-floor ducted heat

Outside shower Systems monitor panel

Water system winterization kit

Standard Kitchen Equipment 3-burner range w/9,000-BTU SuperBurner™ & piezo igniter ✓ ✓ Acrylic residential-style sink Deep-lipped overhead cabinetry Deep storage drawers under booth dinette Extra large picture window at dinette Large pedestal dinette table Manchester Oak raised-paneled doors and drawers on overhead cabinetry and refrigerator Mixing high-rise faucet Oversized oven

Spice rack, built-in under kitchen sink (select models) 🗸 🗸

Standard Safety Equipment

Range hood w/light and exhaust fan

Break-away switch Carbon monoxide detector Dead-bolt lock on entrance door Dual hitch safety chains

Fire extinguisher Multiple earess windows Propane gas leak detector Smoke detector

2 Tinted safety glass windows

Customer Value Package

ABS tub surround

A/C central (13.500 or opt. 15.000 BTU) and wall thermostat w/ louvered-directional ceiling vents

Bathroom power vent Bi-fold cover for range Carefree® patio awning

Double 30-lb. propane gas bottles w/regulator

3 Home theater system, Dolby® Digital 5.1 Surround Sound w/DVD

Microwave oven w/carousel Quilted bedspread Shirt wardrobes in bedroom Sink cover/cutting board(1) Tub/shower skylight

Water heater bypass system

Optional Equipment

CSA Standards Customer Value Package w/ 15,000 BTU central A/C Diamond-plated panel on front

Enclosed, insulated and heated underbelly Extendable dinette (select models)

Hide-a-bed (select models) Linoleum floor in living area

Maxi-stor[™] door

Sofa ILO swivel chairs (select models)

Trundle bed ILO futon (select models) Portable, outside gas RVQ® grill w/carrying case

Roof ladder

Spare tire and tire carrier w/vinyl tire cover

Water purification system

	ecifications asurements	Exterior Length	Exterior Height	Bedroom Interior Height	Unloaded Vehicle Weight	Dry Hitch Weight	Gross Vehicle Weight Rating	Cargo Carrying Capacity	Fresh Water Capacity*	Gray Wastewater Capacity	Toilet/Black Wastewater Capacity
Travel	20 BH	22' 6"	130"	81"	4165	555	6000	1835	37	33	33
Trailers	23 FB	26' 5"	126"	81"	4555	545	6500	1945	37	33	33
	25 RKS	28' 3"	126"	81"	5205	630	7500	2295	46	33	33
	26 BHS	28' 11"	135"	81"	6205	755	8180	1975	46	33	33
	27 BH	29' 1"	126"	81"	4890	630	7500	2610	37	33	33
	28 RLS	30' 2"	134"	81"	6390	755	8500	2110	46	33	33
	29 FBS	32' 6"	134"	81"	6800	745	8750	1950	46	65	33
	29 BHS	30' 6"	134"	81"	5425	765	7500	2075	59	33	33
	31 BHS	32' 6"	134"	81"	6830	960	9000	2170	46	33	33
	31 BHDS	33' 11"	134"	81"	7355	800	9200	1845	46	33	33
	31 RKS	33' 8"	134"	81"	6860	810	9000	2155	46	65	33
	32 FKS	33' 11"	134"	81"	7555	1125	9500	1945	46	65	33
Fifth	24.5 RBS	27' 3"	141"	61"	6275	1240	8180	1905		33	33
Wheels	27.5 BHS	29' 5"	142"	61"	6475	1495	8280	1805		33	33
	27.5 RKS	29' 8"	142"	76"	6900	1285	8680	1780			33
	28.5 RLS	30' 6"	142"	76"	7300	1495	9200	1900			33
	30.5 BHS	32' 8"	142"	61"	7725	1445	9750	2027			33
	30.5 RLS	32' 2"	142"	76"	7350	1730	9500	2150			33
	31.5 BHDS	33' 11"	143"	76"	8370	1475	10500	2130			33

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle and the RV together before heading out on the roadways. When you tow an RV, you must drive differently than you do when driving a single vehicle. Practice hooking up, driving, backing up, and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specification chart to the left.

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options, or dealerinstalled accessories.


Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.


Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo, and dealer-installed accessories that can be carried by the trailer, CCC is equal to or less than GVWR minus UVW. The addition of ontions will decrease the CCC

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight


Jay Flight Travel Trailer Floorplans

20 BH












27 BH




















LEGEND











Jay Flight Fifth Wheel Floorplans



Interior Colors







Drapery
 Bedspread
 Coordinate
 Main
 Carpet
 Vinyl floor
 Counter top
 Wood



Customer First Roadside Assistance

Travel worry-free in your Jay Flight with Jayco's Customer First Roadside Assistance program, yours at no cost during your first year of ownership. This program is offered through Coach-Net[®], the largest RV emergency road service in the country, and gives you immediate access to dependable roadside assistance and support services with a simple phone call.

- 24-hour toll-free emergency message service
- Toll-free nationwide service appointment assistance
- Free custom trip routing and full color map service
- Free dispatch of on-site mechanical service
- \$1,000 auto theft or hit-and run reward
- \$2,000 trip interruption reimbursement

- Free jump starts
- Free tire changes
- Free fuel delivery
- Free lockout service
- Free travelers checks

We Back What We Build.



The Jayco Co-Pilot Warranty is a manufacturer's limited warranty. It comes from the people who build Jayco recreation vehicles to the people who buy them. Each Jayco is warranted to the original purchaser for twenty-four (24) months or twenty-four thousand (24,000) miles (mileage limitation applies to motorized products only), whichever occurs first, from the original date of purchase against defects in materials and workmanship. In addition, our limited warranty may be transferred one time within the warranty period. Go ahead and compare the Jayco warranty with other manufacturers' warranties. You'll find it's the best in the business!

For a copy of the limited warranty with full terms and conditions, ask your local Jayco dealer or visit our website at **www.jayco.com**.



AMERICA'S MOST LIVEABLE RVS.

Jayco, Inc., P.O. Box 460, Middlebury, IN 46540 www.jayco.com

Protect your RV investment. Ask your Jayco dealer about our exclusive JayPlus program today.



Your Jayco Dealer

As a Jayco owner, you can be part of the Jayco Jafari International Travel Club. Ask your dealer about the Jafari "flight" in your area, write Jayco, or visit our website. See dealer for further information and prices. All information in this brochure is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photos in this brochure may show optional equipment or props used for photography purposes. RVs built for sale in Canada may differ to conform to Canadian cost RVQ is a registered trademate of Vitco, Inc. E-Z Lube is a registered trademark of the Dexter Axle Company, Carefree is a registered trademark of Carefree of Colorado. Dolby and the double-D symbol are registered trademarks of Dolby Laboratories. ©2007 Jayco, Inc. D7-JELT-PL 0107-50K Printed in U.S.A.