

### EAGLE

2016









# EAGLE HEXTEFAMYEN

With the wide-ranging Eagle lineup, you can bet we've got your type of family fun. From top-of-the-line travel trailers to super-light fifth wheels to full-featured, mid-profile fifth wheels, you'll be relaxing in style—no matter where your trip takes you.







Eagle Travel Trailers: Page 4

Eagle HT Fifth Wheels: Page 8

Eagle Fifth Wheels: Page 12

#### DISCOVER THE LONGEST-RUNNING, MOST SUCCESSFUL FIFTH WHEEL ON THE MARKET

Our offerings have been among the top five best-selling fifth wheel lines in the U.S. for 20 of the last 25 years

1991 Eagle travel trailer and fifth wheel lines debut

1994 Eagle lightweight series debuts

1997 Eagle becomes the No. 1-selling fifth wheel in the U.S.

2007 Eagle wins its first DSI Award—and has won the award every year since

2008 Jayco celebrates its 40<sup>th</sup> anniversary; Eagle Half-ton line debuts















## EAGLE TRAVEL TRAILERS

A well-appointed blend of comfort and function, the new Eagle luxury travel trailer lineup is brimming with a list of premium standard features and thoughtful options. Large, residential-sized bedrooms, pantries and showers pair perfectly with standard HDTVs, 8-cubic-foot refrigerators, tri-fold hide-a-bed sofas and solid-surface countertops in 10 exciting floorplans.












### EAGE RALL RAILER HOOPLAS



#### EAGLE TRAVEL TRAILER | 284BHBE


Ext. Length: 33' 11" Ext. Height: 137" Unloaded Wt. (lbs.): 7,015 Sleeps: 8-10

OPTION A




#### EAGLE TRAVEL TRAILER | 314BHDS |

Ext. Length: 37' 3" Ext. Height: 137" Unloaded Wt. (lbs.): 8,110 Sleeps: 7-9



#### EAGLE TRAVEL TRAILER | 318RETS |

Ext. Length: 35' 3" Ext. Height: 136" Unloaded Wt. (lbs.): 8,080 Sleeps: 4-7




#### EAGLE TRAVEL TRAILER | 330RSTS OPTIONS: A, D

Ext. Length: 39' 3" Ext. Height: 138" Unloaded Wt. (lbs.): 9,140 Sleeps: 4-6




#### EAGLE TRAVEL TRAILER | 306RKDS OPTIONS: A, B

Ext. Length: 34' 5" Ext. Height: 140" Unloaded Wt. (lbs.): 7,535 Sleeps: 4-7



#### EAGLE TRAVEL TRAILER | 314TSBH

Ext. Length: 37' 10" Ext. Height: 138" Unloaded Wt. (lbs.): 8,690 Sleeps: 8-10



Ext. Length: 37' 2" Ext. Height: 138" Unloaded Wt. (lbs.): 8,480 Sleeps: 6-7

#### EAGLE TRAVEL TRAILER | 324BHTS

S S QUEEN BED ROLLING ISLAND (OPTION) œ S

#### EAGLE TRAVEL TRAILER | 338RETS OPTIONS: A, B, D

Ext. Length: 39' 3" Ext. Height: 137" Unloaded Wt. (lbs.): 9,015 Sleeps: 3-8

#### **EAGLE TRAVEL TRAILER SPECIFICATIONS**


MODELS	DIMENSIONS				WEIGHT (LBS.)				TANKS (GALS.)			
FLOORPLAN	EXTERIOR TRAVEL LENGTH	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT*	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDES WATER HEATER)	GREY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY	
284BHBE	33' 11"	96"	137"	84"	7,015	760	9,250	2,235	81	32.5	32.5	
306RKDS	34' 5"	96"	140"	84"	7,535	1,150	9,750	2,215	81	65	32.5	
314BHDS	37' 3"	96"	137"	84"	8,110	1,065	9,975	1,865	81	40.5	32.5	
314TSBH	37' 10"	96"	138"	84"	8,690	960	10,750	2,060	81	40.5	32.5	
318RETS	35' 3"	96"	136"	84"	8,080	945	9,975	1,895	81	32.5	32.5	
324BHTS	37' 2"	96"	138"	84"	8,480	1,095	10,950	2,470	81	65	32.5	
330RSTS	39' 3"	96"	138"	84"	9,140	1,255	10,950	1,810	81	97.5	32.5	
338RETS	39' 3"	96"	137"	84"	9,015	1,210	10,950	1,935	81	65	32.5	







#### **OPTIONS:**











#### FLOORPLAN KEY:

S STORAGE

TORAGE

MICRO MICROWAVE

TRAILER HITCH

OHC OVERHEAD CABINETS

LAV BATHROOM SINK FRIDGE REFRIGERATOR
MED MEDICINE CABINET WARD WARDROBE

\*The weights of certain options and/or option packages are not included in the UVW listed in the specification charts.

**Unloaded Vehicle Weight (UVW):** Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

**Gross Vehicle Weight Rating (GVWR):** GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

**Hitch Weight (HW):** The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart on previous page.









### EAGEHTETHWEELHOOPLAS







#### EAGLE HT FIFTH WHEEL | 26.5BHS

Ext. Length: 31' 3" Ext. Height: 150" Unloaded Wt. (lbs.): 7,280 Sleeps: 7-10






#### EAGLE HT FIFTH WHEEL | 27.5RKDS

Ext. Length: 30' 10" Ext. Height: 147" Unloaded Wt. (lbs.): 7,695 Sleeps: 3-4



#### EAGLE HT FIFTH WHEEL | 28.5BHXB

Ext. Length: TBD Ext. Height: TBD Unloaded Wt. (lbs.): TBD Sleeps: 6-9



#### EAGLE HT FIFTH WHEEL | 29.5BHDS

Ext. Length: 34' 7" Ext. Height: 149" Unloaded Wt. (lbs.): 8,375 Sleeps: 7-10

# DINETTE STORAGE STORAGE STAND STA

#### EAGLE HT FIFTH WHEEL | 26.5RLS

Ext. Length: 29' 11" Ext. Height: 140" Unloaded Wt. (lbs.): 7,310 Sleeps: 3-6




#### EAGLE HT FIFTH WHEEL | 27.5RLTS

Ext. Length: 30' 11" Ext. Height: 141" Unloaded Wt. (lbs.): 7,880 Sleeps: 3-4



#### EAGLE HT FIFTH WHEEL | 28.5RSTS

Ext. Length: 32' 10" Ext. Height: 143" Unloaded Wt. (lbs.): 8,340 Sleeps: 4



#### EAGLE HT FIFTH WHEEL | 29.5FBDS

Ext. Length: 34' 4" Ext. Height: 149" Unloaded Wt. (lbs.): 8,130 Sleeps: 7-10

#### EAGLE HT FIFTH WHEEL SPECIFICATIONS

MODELS	DIMENSIONS				WEIGHT (LBS.)				TANKS (GALS.)			
FLOORPLAN	TOTAL EXTERIOR LENGTH	EXTERIOR TRAVEL LENGTH*	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT (UPPER DECK)	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDES WATER HEATER)	GREY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY
26.5BHS	31' 3"	30' 6"	96"	150"	75"	7,280	1,430	9,950	2,670	48	32.5	32.5
26.5RLS	29' 11"	29' 2"	96"	140"	75"	7,310	1,340	9,950	2,640	48	65	32.5
27.5RKDS	30' 10"	30, 0,	96"	147"	75"	7,695	1,410	9,950	2,255	48	65	32.5
27.5RLTS	30' 11"	30, 0,	96"	141"	74"	7,880	1,525	9,950	2,070	48	65	32.5
28.5BHXB	TBD	TBD	96"	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
28.5RSTS	32' 10"	32' 2"	96"	143"	75"	8,340	1,785	9,950	1,610	49	65	32.5
29.5BHDS	34' 7"	33' 10"	96"	149"	75"	8,375	1,545	9,950	1,575	49	73	32.5
29.5FBDS	34' 4"	33' 8"	96"	149"	75"	8,130	1,600	9,950	1,820	49	65	32.5

<sup>\*</sup>Distance from the pin box to the bumper; total exterior length may be longer.












### EAGLE FIFTH WHEEL

Unique, industry-defining designs and features paired with best-in-class construction set Eagle fifth wheels apart, year after year. From hand-glazed maple cabinetry and hardwood fascias to sunlight-balanced LED lighting and a wireless remote system, Eagle has it all. And an exceptional record to boot: 25 years of innovation, quality and commitment to continuous improvement.











### EAGEFFHWELHOOPLAS




#### EAGLE FIFTH WHEEL | 291RSTS

Ext. Length: 34' 5" Ext. Height: 152" Unloaded Wt. (lbs.): 9,755 Sleeps: 4



#### EAGLE FIFTH WHEEL | 317RLOK

Ext. Length: 37' 0" Ext. Height: 153" Unloaded Wt. (lbs.): 10,325 Sleeps: 4




#### EAGLE FIFTH WHEEL | 323LKTS

Ext. Length: 37' 3" Ext. Height: 152" Unloaded Wt. (lbs.): 10,370 Sleeps: 4




#### EAGLE FIFTH WHEEL | 339FLQS OPTION B

Ext. Length: 37' 8" Ext. Height: 157" Unloaded Wt. (lbs.): 10,125 Sleeps: 5




#### EAGLE FIFTH WHEEL | 355MBQS OPTIONS: A, B, C

Ext. Length: 39' 8" Ext. Height: 152" Unloaded Wt. (lbs.): 11,280 Sleeps: 8-10




#### EAGLE FIFTH WHEEL | 293RKDS OPTIONS: A, B

Ext. Length: 35' 3" Ext. Height: 155" Unloaded Wt. (lbs.): 9,640 Sleeps: 5



#### EAGLE FIFTH WHEEL | 321RSTS OPTION B

Ext. Length: 35' 10" Ext. Height: 153" Unloaded Wt. (lbs.): 10,000 Sleeps: 4



#### EAGLE FIFTH WHEEL | 325BHQS

Ext. Length: 38' 8" Ext. Height: 157" Unloaded Wt. (lbs.): 11,185 Sleeps: 6-8



#### EAGLE FIFTH WHEEL | 345BHTS OPTIONS: A, C, D

Ext. Length: 39' 6" Ext. Height: 150" Unloaded Wt. (lbs.): 10,815 Sleeps: 8-10



#### EAGLE FIFTH WHEEL | 360QBOK

Ext. Length: 40' 7" Ext. Height: 151" Unloaded Wt. (lbs.): 11,440 Sleeps: 8-11







#### **OPTIONS:**

OPTION A



OPTION B



N B



OPTION C

OPTION D



ON HIDE-A-BED OPTION

OPTION E



D OPTION UPPER BUN

#### FLOORPLAN KEY:

S STORAGE

TRAILER HITCH
LAV BATHROOM SINK

MED MEDICINE CABINET

MICRO MICROWAVE

OHC OVERHEAD CABINETS FRIDGE REFRIGERATOR

WARD WARDROBE

#### **EAGLE FIFTH WHEEL SPECIFICATIONS**

MODELS	DIMENSIONS					WEIGHT (LBS.)				TANKS (GALS.)			
FLOORPLAN	TOTAL EXTERIOR LENGTH	EXTERIOR TRAVEL LENGTH*	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	EXTERIOR HEIGHT (WITH OPTIONAL BEOROOM A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDES WATER HEATER)	GREY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY
291RSTS	34' 5"	33' 5"	96"	152"	159"	78"	9,755	1,710	12,000	2,245	81	85	50
293RKDS	35' 3"	34' 5"	96"	155"	159"	78"	9,640	1,825	11,995	2,355	81	87	50
317RLOK	37' 0"	36' 1"	96"	153"	159"	78"	10,325	1,995	12,750	2,425	81	87	50
321RSTS	35' 10"	34' 11"	96"	153"	159"	78"	10,000	1,935	12,500	2,500	81	87	50
323LKTS	37' 3"	36' 4"	96"	152"	159"	78"	10,370	1,890	12,950	2,580	81	87	50
325BHQS	38' 8"	37' 9"	96"	157"	160"	78"	11,185	2,235	13,750	2,565	81	93	50
339FLQS	37' 8"	36' 10"	96"	157"	159"	78"	10,125	1,965	12,600	2,475	81	74	37
345BHTS	39' 6"	38' 9"	96"	150"	159"	78"	10,815	2,080	13,250	2,435	81	95	87
355MBQS	39' 8"	38' 10"	96"	152"	159"	78"	11,280	2,265	13,750	2,470	81	87	50
360QBOK	40' 7"	39' 8"	96"	151"	159"	78"	11,440	1,945	13,750	2,310	81	95	87


<sup>\*</sup>Distance from the pin box to the bumper; total exterior length may be longer.

### EATE INHOUNTS + PTIONS










































## SAVADADOPIOS

	Eagle T.	Eagle I''	Faulo
Exterior Equipment			
I-class cambered structural steel I-beam frame with box-tube steel upper-deck framing	•	•	•
TuffShell™ vacuum-bonded, aluminum-framed, laminated walls			
(including rear wall and slide room end walls)			
High-gloss, gel-coated ivory Filon® fiberglass exterior  Magnum Truss™ Roof System (strongest tested roof in the industry) with one-piece,	•		•
seamless DiFlex II material	•	•	•
Climate Shield™ zero-degree-tested weather protection:			
Fully enclosed and heated underbelly (ducted)			
High-BTU output furnace     Double-layer fiberglass batt insulation in ceiling and floor	•	0	•
Double-sided radiant barrier Flexfoil® bubble insulation in roof and slide room floors			
PEX plumbing			
High-gloss, ivory fiberglass front cap with built-in, recessed LED lighting	•	•	•
Custom automotive-grade 3M® vinyl exterior graphics package	•	0	•
15-inch steel-belted radial tires 16-inch 10-ply, load range 'E' steel-belted radial tires	•	•	
MOR/ryde CRE3000 rubberized suspension			
Power service with detachable Powersmart™ LED shore power cord (Eagle Travel Trailer:			
30 or 50 amps depending on model; Eagle HT: 30 amps; Eagle Fifth Wheel: 50 amps)	•	•	•
Cap-integrated, dual 30-pound propane bottles with auto-regulator	•	•	•
Completely enclosed and protected electric slideout mechanisms	•	•	•
NEW: 3-step, extra-sturdy, anti-slip Alumi-Tread™ entrance steps			•
Oversized entry step with safety light	•	•	
30-inch x 72-inch entrance door with XL grab handle	•	•	•
NEW: Independent satellite and whole coach cable hookups (a class exclusive)	•	•	•
Digital TV antenna	•	•	•
Exterior marine-grade speakers Pass-through storage with Slam-latch™ baggage doors	•		•
Battery disconnect	·		
Dual-battery capacity			
NEW: 6-in-1 sidewall-mounted exterior convenience center (a class exclusive)	•	•	
Water heater bypass	•	•	•
Black tank flush	•		•
Best-in-class fresh water tank sizes	•	•	•
Outside shower	•	•	•
Under-mounted spare tire	•	•	•
Hidden saddlebag storage with lid and restraint netting in pass-through		•	
Outside grill prep	•	•	•
LP quick connect Roof ladder	•	•	•
NEW: Front and rear electric stabilizer jacks	•		_
Electric tongue jack	•		
Triple battery compartment			•
Heated, enclosed universal docking center	•	•	•
Outside kitchen (select models)	•	•	•
NEW: MAXXIS M8008 16-inch tire upgrade (4 tires, custom aluminum wheels and spare)	•	•	•
MOR/ryde "RPB" Rubber Pin Box			•
Reese Revolution 90-degree pin box		•	•
Outside grill	•	•	•
Thermal-pane, frameless, tinted, safety-glass windows	•	•	•
Rear electric stabilizer jacks	_	•	
NEW: Voyager wireless backup/rearview camera and monitor kit Canadian Standards (CSA)	•	•	•
Bike rack/cargo tray	•		
Ground Control 4-point electric auto-leveling system with hitch memory			
MOR/ryde EZ Stow toolbox in cargo area (a class exclusive)	73		
Frameless, tinted, safety-glass windows	•	•	
Machined aluminum rims	•	•	•
NEW: Rooftop and ground solar prep by Go Power (an industry first)	•	•	
NEW: Rear 2-inch receiver hitch, 300-pound tongue, 3,000-pound tow rating		1000	
(an industry exclusive) Rear 2-inch accessory receiver	- 49	N. A.	

Optional	Customer Value Package
Luxury Package	


	Eagle 7.	Eagle L	Eagle P.
Interior Equipment			
NEW: Solid, hardwood slideout room fascia	٠	•	•
5%-inch tongue-in-groove joined plywood floor decking	٠	•	•
NEW: IVC® Trekk™ "Wood Plank" vinyl flooring (standard minimal carpeting)  Show residential expection with P2Y stain guard.	•		•
Shaw residential carpeting with R2X stain guard  NEW: Shaw residential carpet pad with R-value and sound dampening (an industry first)	·		$\ddot{\cdot}$
LED interior lighting throughout	•	•	
NEW: Central command center with built-in tank monitoring	•	•	•
Tri-fold hide-a-bed sofa with Denver Mattress sleep surface	•	•	•
Swivel glider recliner(s) (select models)	•	•	•
NEW: 32-inch LED HDTV with fully digital HDMI output (a class exclusive) Wall-hugger theater seating (select models)	•		
Directional and closeable A/C vents			
Heavy-duty, 75-pound, full-extension, steel ball-bearing drawer guides	•	•	
Stainless steel kitchen sink	•	•	•
Residential-style pantry storage			•
NEW: Stainless steel oven and sealed burner stovetop with hardwood knife rack	•	•	•
8-cubic-foot gas/electric refrigerator with freezer	•	•	٠
17.8-gallon-per-hour quick-recovery gas/electric DSI water heater	•	•	•
NEW: Dual USB charging ports (kitchen and bedroom)	•		•
NEW: 12V charging station Pleated window shades	•		
NEW: Hardwood safety handrail on steps (all fifth wheel models,			
select HT models)		•	•
NEW: Radius door XL shower with ABS tile-look tub surround (select models)	•	•	
Bath skylight	•	•	•
NEW: LED vanity and residential-size mirror (an industry exclusive)	•	•	•
NEW: Bathroom stone backsplash  Peridential style shower with sliding class deer (up to 49 inches)	•	•	•
Residential-style shower with sliding glass door (up to 48 inches)  Porcelain foot-flush toilet			
NEW: Residential quilted bedspread and pillows	•		
Carbon monoxide and LP detector	•	•	•
Extra 110V power outlets in kitchen and slide rooms	•	3	•
Built-in "mud room" bench locker/coat storage (a class exclusive,			
n/a 293RKDS, 317RLTS, 339FLQS, 345BHTS)	•		
NEW: Handcrafted, Sugar Maple-glazed, maple cabinetry and drawers  NEW: Brushed nickel kitchen faucet with pullout sprayer			
NEW: Second tri-fold hide-a-bed sofa with Denver Mattress sleep surface (select models)	•		
Sleeper sofa (replaces J-Cube futon on 345BHTS, 360QBOK; standard on 325BHQS)			•
NEW: Party sofa with stowable tables and hide-a-bed in place of booth and theater			
seating (324BHTS, 325BHQS, 345BHTS, 355MBQS, 360QBOK)			
NEW: 24-inch LED TV (bunkhouse, select models) NEW: 24-inch LED TV (outside kitchen, select models)	•		•
NEW: 32-inch LED TV (buside kitchen, select models)			÷
50-amp service with dual A/C ducting and second A/C prep		723	
(standard on select travel trailer models)	•	•	•
Second A/C in bedroom (15,000 BTU; requires 50-amp service)	•	•	•
King pillow-top memory foam Denver Mattress with under-bed storage	•	10	-
Second power awning (a class exclusive, 291RSTS, 317RLOK, 321RSTS, 323LKTS, 325BHQS, 355MBQS)			•
12-cubic-foot refrigerator (n/a 345BHTS, 360QBOK)	•		•
NEW: Free-standing Sugar Maple table with leaf, built-in storage,			
2 folding chairs (standard on select fifth wheel models)			
23-cubic-foot residential refrigerator with 1,000-watt inverter (n/a on 345BHTS, 360QBOK)			•
Rolling island pantry (338RETS)  Second tri-fold hide-a-bed sofa (bunkroom) (select models)	•		•
NEW: LED fireplace, 5,000-BTU electric heater (select models)		•	
HI-MACS solid-surface kitchen countertop by LG® with pullout sprayer kitchen faucet and			
flush-mount sink covers (standard on select travel trailer models)			
NEW: Washer/dryer prep (select models)	•	_	•
NEW: 39-inch LED HDTV with fully digital HDMI output (48-inch in 339FLQS)	•		•
110V ceiling fan  NEW: Linc wireless remote control system			•
NEW: 12V AM/FM/CD/DVD/USB 3-zone A/V system with Bluetooth and HDMI	•	•	•
13,500- or 15,000-BTU dual-ducted Whisper-Quiet A/C system (a class exclusive)	•	•	
15,000-BTU dual-ducted Whisper Quiet A/C system (a class exclusive)	- B	(A. )	•
NEW: Stainless steel microwave with exhaust fan	•	•	•
NEW: Rain-proof EZ Breeze™ 350CFM bathroom power vent	•	•	
(patent pending, a class exclusive)  Oueen pillow-ton memory from Denver Mattress with under-hed storage	•		
Queen pillow-top memory foam Denver Mattress with under-bed storage Electric patio awning with integrated LED lights	•	•	-
Licetife parto awriting with integrated LLD rights	100		1000

### LET'S JAYCO—AND LEAVE OUR WORRIES BEHIND.

We know that your family fun rides on our commitment to quality. So we go the extra mile to make products that last—and stand behind them longer than anyone in the business.



JAYCO'S ROOF **VS** OTHER ROOFS





4,500 POUNDS ON A JAYCO ROOF VS. OTHER ROOFS

# THE MAGNUM TRUSS ROOF SYSTEM 50 percent stronger



When you go with Jayco, you get the strongest foundation in the business, unmatched weatherproofing and rock-solid construction.

1. Vacuum-bonded walls, floors and roof for better protection from the elements



- Magnum Truss Roof System withstands 4,500 pounds—
   percent more than other roofs
- 3. Welded aluminum frame for a durable, lightweight structure
- 4. Double layer of fiberglass insulation behind the front cap, plus Flexfoil and fiberglass insulation in the floor to provide extra warmth where it's needed most—in the bedroom
- 5. Aerodynamic front cap withstands the rigors of the road with infused pigment and gel coating, plus ¼-inch plywood bracing for additional support—not typically found on competing fifth wheels









CLIMATESHIELD


**Extend your camping season with the Jayco Climate Shield** 

It protects against extreme heat and extreme freezing—even in temperatures as high as 100 degrees or as low as zero degrees (Fahrenheit).\*

\*Eagle was tested in zero degrees F and 100 degrees F weather over an extended period of time in a controlled environment and all functions of the coach were fully operational. Testing was done in a completely controlled environment; therefore, temperatures during testing may not represent actual temperatures in nature, and cannot account for elements such as wind or moisture. In actual use, unit may not perform as well. Supplier of cooling components does not guarantee anything better than 20 degrees difference from ambient temperature. In addition, outside components are subject to freezing and require steps to properly insulate. Jayco's warranty does not cover damage caused by freezing. To learn more about Climate Shield and testing done by Jayco, visit www.jayco.com.

### WE START WITH ONE OF THE INDUSTRY'S strongest foundations

Many competitors modify or weld stock frames, which can weaken the integrity of your foundation. Jayco's custom-manufactured frames offer higher strength and durability.



### EAGEINBURDER







#### **HAVANA**



MEADOW







Travel with confidence, with our industry-leading, 2-year limited warranty and a year's access to Coach-Net™—the country's largest RV emergency road service.



\*For a copy of our 2-year limited warranty with full terms and conditions, please contact your local Jayco dealer.



#### DSI award-winner—8 years and running

With 25 years of customer satisfaction, Jayco's Eagle brand is the longest-running, most successful fifth wheel on the market today. This past award season, Eagle received the prestigious Quality Circle Award for the eighth year in a row! The award, based on a survey of hundreds of RV dealers in the U.S. and Canada, takes into account product quality, value, service/support and more.

### \_**U** advantage<sup>™</sup>

#### Jayco's long-term commitment to generations of family fun

After four years of increased efforts to eliminate waste, conserve energy and increase recycling, we've come a long way in building RVs that are not only better for your family—but also better for the planet. Learn more at Jayco.com/EcoAdvantage

#### Meet your Jayco Dealer

We work hard—so you can play hard. From finding the perfect Jayco for your family to providing flexible financing options and full-service support, we're here to help.

#### Follow Jayco







